

# ELECTRODEX

## ANNUAL 1961

Published by  
RADIO MAGAZINES, INC.

# LECTRODEX

formerly

## RADIOFILE

Vol 16 No. 6 November-December, 1961

Published bi-monthly by Radio Magazines, Inc., Henry A. Schober, President; C. G. McProud, Secretary. Executive and Editorial offices, 204 Front Street, Mineola, N.Y. Address all mail and communications to P. O. Box 629, Mineola, N. Y. Printed in U.S.A. at Mineola, N. Y. All rights reserved. Entire contents copyright 1962 by Radio Magazines, Inc.

**SUBSCRIPTION RATES:** U.S. and Possessions, \$3.00 for six issues, \$5.50 for twelve issues. All other countries, \$3.50 yearly. **ANNUALS** (containing all indexes for the calendar year) as available, \$1.00 each, payable in advance.

Edgar E. Newman \_\_\_\_\_ Editor  
Henry A. Schober \_\_\_\_\_ Business Manager  
M. A. Scalise \_\_\_\_\_ Circulation Manager  
C. G. McProud \_\_\_\_\_ Publisher

LECTRODEX  
P. O. Box 629  
Mineola, New York

## THE MAGAZINE INDEX

All material of permanent value in the periodicals listed is indexed by subject, not by title. Each bi-monthly index is cumulative, listing all material of the current year, so that only the latest issue need be consulted. The year-end **ANNUAL** is retained for permanent reference.

The notation following each item indicates publication, month, and page, followed by a letter which gives an indication of the general type of article. In those magazines in which schematics of radio and television circuits appear as a special section or as fold-out pages, there is no page number given, but the identifying letter "s" indicates that the reference is a schematic in such a section or group of pages.

## ARTICLE CLASSIFICATIONS

The letter following the page number of each listing indicates the classification of the article as follows:

Theory, design data \_\_\_\_\_ t  
Construction, modification \_\_\_\_\_ c  
Description, general discussion \_\_\_\_\_ g  
Charts, nomographs, lists, etc. \_\_\_\_\_ d  
Schematics for service information \_\_\_\_\_ s

Subscription Rates: U.S. & Possessions \$3.00 for six issues; \$5.50 for twelve issues; all other countries \$3.50 for six issues.

Please enter my subscription for LECTRODEX. I enclose \$ \_\_\_\_\_

for a \_\_\_\_\_ issue subscription.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

# LECTRODEX

## THE ELECTRONIC MAGAZINE INDEX



### A

#### Acoustics

- considerations in design of recording studios .....AES July 178g
- current research in communications  
PGA Mar-Apr 37g
- effect of anoxia on cochlear potentials  
AS Mar 349g
- effect of reflecting plane on multipole  
AS Mar 286g
- intelligibility of time-compressed speech  
AS Mar 265g
- of Jerusalem Congress Hall .....AS Dec 1690g
- orchestra enclosure for Tanglewood music shed .....AS Apr 475g
- pitch sensation & stimulus periodicity  
AS Mar 341g
- properties of anechoic chambers  
AS June 767g
- scattering of sound by sea surface  
AS Mar 334g
- separation of the wave equation  
AS Mar 302g
- shallow water sound field .....AS Mar 323g
- sound control techniques for legitimate theatre & opera .....AES July 184g
- sound for a cathedral .....FN July 97g
- sound speed in heavy water .....AS Mar 314g
- system of stepped acoustic transmission systems .....AS Mar 289g
- tests of carpeting in high school  
NC Jan-Feb 11g
- theoretical study of volume reverberation  
AS Mar 317g
- transitions, glides & diphthongs  
AS Mar 268g
- treatment of the Cleveland Public Auditorium .....AS June 760g
- ultrasonic relaxation in a lubricating oil  
AS Mar 278g
- wave scattering by irregular surfaces  
AS Mar 330g

#### Aerodynamics

- measurements in hypervelocity gun range  
E Nov 3 33g

#### Aircraft

- landing techniques & the future  
EE Aug 496g
- pilotless control .....EE Jan 36g
- traffic control simulator tests flight procedures .....E Aug 18 48g

#### Amateur Radio

- equipping the station .....EW May 86g

#### Amplifiers

- A-C controlled half-cycle magnetic  
E Apr 14 75g
- actual noise measure of linear  
IRE Sept 1391g

#### audio

- another power .....A Sept 19c
- bootstrap follower, use in .....WW Jan 21g
- custom hi-fi preamp .....RE Mar 46g
- design of low-noise transistor  
AES Apr 120g
- designing a transistorized preamp  
A Jan 24t
- direct-coupled hi-fi .....PE Mar 46c
- feedback techniques in low-level  
A May 19g
- grounded-emitter transistor  
PGA Mar-Apr 49g
- how high is FI?  
A May 40g
- how to get the most from your  
HR July 55g
- improving the Williamson EW June 104c
- Lafayette stereo Model KT-236 TC Jan 8
- new look 20-watt hi-fi .....FN Mar 710g
- OTL vacuum tube .....A Dec 18c
- study of gain control in .....SP Oct 40g
- transistor .....WW July 342c
- transistor 50W .....EE Dec 792g
- transistor power .....WW Nov 565g
- transistorized line .....EW Jan 61c
- triode operation of KT88's .....A Mar 30g
- with positive & negative feedback  
A Apr 18g



- automatic gain control for  
superregenerative .....E July 21 76g
- bandswitching, low cost 400W linear  
CQ May 26c
- biasing of power .....CQ Sept 49g
- building a linear .....CQ Dec 44c
- calculating pentode stages for given  
bandwidth .....E Sept 8 82d
- calculating the performance of, doublers  
& triplers .....ED Feb 1 34g
- calculating transistor circuits for, quick  
method .....EE June 375g
- code practice oscillator .....EL Feb 60c
- decade type preamps .....RE Aug 32g
- degenerate parametric, uses butterfly  
resonators .....E Dec 15 74g
- design of high stability DC .....SP Feb 27g
- design theory of optimum negative-resistance  
IRE June 1043g
- designing chopper-stabilized operational  
E Mar 3 48g
- designing tunnel diode RF .....E Feb 17 120g
- designing, with nonlinear feedback  
E Mar 31 46g
- differential, with regulator, achieves  
high stability, low drift .....E July 28 56g
- diode, has ten-gigohm input impedance  
E Dec 22 38g
- diode parametric .....SP Jan 25g
- SP Feb 35g
- direct coupling & DC stability in transistor  
EI May 94g
- dual 35-watt stereo .....EW Mar 29g
- economy hi-fi .....EW July 36c
- emitter peaking improves video response  
E May 19 94g
- equations help determine operating  
points of stabilized transistor  
ED Aug 16 50g
- exact calculations for Class A & B  
transformer coupled .....SP May 37g
- examining audio output power stages  
TC Dec 42g
- examining hi-fi preamplifiers TC Nov 40g
- extending high-frequency response of  
transistor .....ED Dec 6 36g
- ED Dec 20 48g
- feedback, improves Hall-Effect multipliers  
E Aug 25 52g
- gain-stability calculations for production  
feedback .....E Oct 27 58g
- getting fast pulse response with video  
E Oct 13 62g
- grounded-grid linear .....QST Aug 16g
- helix parametric .....RCA June 219g
- high output linear .....CQ Sept 42g
- high-power zero-bias grounded-grid linear  
QST Sept 11c
- high quality, high reliability, for speech  
input systems .....AES Apr 126g
- how to evaluate DC differential  
ED Aug 2 50g
- hybrid, combining tubes & transistors  
WW Oct 541g
- hybrid D-C designing, to withstand  
missile environments .....E Aug 11 157g
- improving gain control of transistor  
E Apr 28 108g
- interstage design for stagger-loaded  
E May 26 60g
- KW-2 linear .....CQ Aug 26c
- linear, distortion monitor checks  
characteristics of .....E July 7 57g
- low-cost stereo .....WW Apr 185g
- WW May 266g
- low drift D. C. ....EE July 437g
- low-drift direct-coupled transistor, for  
high temperature applications SP Apr 35g
- low-frequency instability in cascaded  
emitter followers .....ED Nov 8 36g
- low-noise, for centimeter & shorter  
wavelengths .....IRE May 880g
- low-noise microwave quadrupole  
IRE June 1016g
- matched, using two cascaded Esaki diodes  
IRE May 904g
- more about preamplifiers .....FN Apr 783g
- narrow pass-band, with parallel-T network  
E Aug 18 68g
- negative feedback & hum .....WW July 382g
- negative feedback & power output  
WW Aug 392g
- negative-feedback voltage, theory of  
EE July 442g
- noise investigation of tunnel-diode  
microwave .....IRE Apr 739g
- nuvistor preamplifiers for 50 & 144 Mc.  
QST Aug 44c
- parametric, for space probe tracking  
E Jan 27 41g
- positive & negative feedback multiply  
input impedance of .....E July 7 52g
- pulsed ruby Maser as a light IRE Nov 1635g
- puzzled about feedback? .....RE Feb 69g
- quality stereo .....RE May 35c
- RCA reverberation .....TC Feb 8
- selective RC, using transistors .....EE Feb 84g
- "sineward" distortion in high-fidelity  
A Nov 52g
- signal-band grounded-grid linears  
QST Nov 56c
- six meters with the TV/surplus 150W  
amplifier .....QST Aug 24c
- solid-state DC, with floating input &  
low drift .....EE Sept 592g
- solid state 125-watt linear power  
SP Oct 35g
- stereo-headphone .....EW Aug 31c

stereo-plus-center to two recording channels ..... A Nov 28c  
 suppressor gating for I-F ..... E Aug 25 62g  
 survey of parametric ..... ED Mar 15 170g  
 tape playback ..... FN June 24g  
 transistor, controls remote appliances ..... E May 26 59g  
 transistor high-fidelity pre-amplifier ..... WW Dec 621c  
 transistor pulse ..... SP Aug 23g  
 transistor R.F. power ..... CQ Nov 50g  
 transistor, slide-rule calculator ..... E Feb 17 136g  
 transistor V.H.F. .... WW Sept 446g  
 transistorized data ..... EE Dec 778g  
 transistorized selective, using RC networks ..... EE Nov 734g  
 222Mc parametric ..... CQ Jan 26c  
 undesired signals in  
   traveling-wave-tube ..... RCA June 280g  
 unsymmetrical difference ..... EE Sept 600g  
 versatile feedback, for computers, laboratories & industrial use ..... EE May 312g  
 versatile voltage, power & decibel nomograms ..... EW July 34d  
 video distribution, eliminates interstage transformers ..... E June 16 58g

**Antennas**

all-metal quad for 15 meters ..... QST Mar 36c  
 automatic switching ..... CQ Apr 47g  
 automatic tracking, for telstar communications satellite ..... E Dec 22 23g  
 brief case portable ..... QST Jan 43c  
 communication satellites using arrays ..... IRE June 1066g  
 compact multiband beam ..... QST Feb 36c  
 delta Quad ..... CQ Sept 46c  
 design chart for, using parabolic reflectors ..... EE Mar 162d  
 design of antennaverts & antennafiers ..... E Oct 6 68g  
 design of line feed for world's largest aperture ..... E July 7 46g  
 designing low-noise ..... E Jan 20 60g  
 designing printed-circuit spiral ..... E Apr 28 99g  
 efficiency, design charts for low-frequency ..... E Apr 7 90d  
 electronic devices for TV ..... TC Nov 37g  
 FM, sentinel for better listening ..... HR May 47g  
 for low-band DX ..... EW June 44g  
 four bands on a split level ..... QST Nov 11c  
 Gamma matched 160 meter vertical ..... CQ May 52c  
 guywire pyramid ..... CQ Feb 26c  
 home-built parabolic-type reflector for 1296Mc ..... QST Apr 11c

how to attenuate your harmonics ..... QST May 41c  
 hybrid H-guide feeds flush mounted types ..... E Mar 31 54g  
 indoor farming ..... CQ Aug 40g  
 jelly roll shape shrinks horn ..... E Nov 3 38g  
 long-wire, for meteor burst communications ..... E Mar 24 40g  
 measuring impedance of in the ionosphere ..... E Jan 13 88g  
 metal-mesh embedded dielectric radome ..... E Oct 20 58g  
 multiband, using loading coils ..... QST Apr 43g  
 new broadband TV ..... EW Dec 62g  
 novel, for 40 & 80 meters ..... QST Dec 18c  
 omnidirectional K-Band, uses slots, probes & horns ..... E Aug 18 54g  
 one-third multiband ..... CQ Aug 58g  
 optimum band shape for TV intermediate-frequency ..... RCA June 245g  
 packaging the W4KFC 15/10 meter array ..... CQ July 40c  
 precisely aligning Doppler radar ..... E Jan 27 46g  
 radial waveguide ..... RCA Sept 543g  
 reconnaissance satellite ..... EI Apr 108g  
 remote control for Mark II four band vertical ..... CQ Jan 30c  
 ring ..... WW Jan 29g  
 roof top mobile ..... QST May 26c  
 rotatable dipole for 40 meters ..... CQ Oct 50c  
 stacked rhombic array for 1296MC ..... CQ June 54c  
 sturdy lightweight 37 footer ..... QST Feb 24c  
 three band Quad for Field Day ..... QST Apr 30c

tune your ..... EL Feb 64c  
 TV master systems for shop & showroom ..... TC Oct 32g  
 twins on twenty ..... QST May 24c  
 two-way radio ..... PF July 22g  
 understanding VHF ..... CQ Jan 40g  
   CQ Mar 41g ..... CQ Feb 44g  
 universal coupler for ..... CQ Jan 46c  
 when to choose fringe TV ..... TC Apr 39g  
 wind your own ferrite-core ..... RE July 29c  
 Arithmetic, fundamentals of space ..... EI Apr 104g

**Audio Systems**  
 puzzled about hum in? ..... RE Jan 36g  
**Automation**  
 electro-mechanical switching in ..... EW Oct 58g  
 variation control for ..... RE Sept 94g

## B

**Batteries**  
 fuel cells & ..... RCA June 325g  
 index ..... EI June 241d

new, progress or confusion .....EW Oct 33g  
workhorses for portable equipment  
ED Feb 15 52g

**Bionics**  
efforts center on learning machines  
ED Sept 13 30g

GE's visilog sensor operates like eye  
ED Sept 13 46g

GE/WADD analog includes EL-PC cells  
ED Sept 13 41g

Melpar learner uses statistical switch  
ED Sept 13 31g

moth's sync pulses aid neutral-net study  
ED Sept 13 42g

Raytheon's cybertron doing useful work  
ED Sept 13 34g

RCA neuron analog to do speech work  
ED Sept 13 40g

variable-network perceptron almost  
completed at GD/E .....ED Sept 13 38g

**Broadcasting**  
changes in WWV standard broadcasts  
EW Apr 51g

delay line for stereophonic  
AES Apr 134g

FCC adopts FM-stereo standards  
EI June 445g

get ready for stereo multiplexing  
TC Feb 38g

low-cost stereo conversion for studio  
console .....A Nov 44c

new FM stereo system .....TC June 36g

simplify your turntable operation  
EI Oct 186g

stereophonic transmission system for AM  
AES Apr 140g

TV music and the technician .....EW Oct 45g

## C

**Capacitors**  
anti-chatter .....RE Dec 46g

as impulse generators .....EE Feb 73g

determining optimum burn-in for  
EI Sept 105g

electrolytic restorer .....PE Oct 49c

how to use ripple-current ratings of  
aluminum electrolytics .....ED June 21 46g

leakage problems .....EW Dec 64g

low impedance design .....EE June 349g

practical testing & replacement  
PF Aug 28g

survey pinpoints user needs & opinions  
ED Dec 6 40g

ultra-kap .....RE Jan 60g

voltage-variable, make a relaxation oscillator  
E May 19 96g

voltage variable silicon .....CQ Feb 40g

Cathrides — see Pickups

Cells

effect of series resistance on photovoltaic  
solar energy conversion .....RCA Mar 57g

large-area thin-film photovoltaic  
RCA Mar 29g

spectral response of photovoltaic  
RCA Mar 38g

**Circuits**  
adjustable clamp, shifts A-C signal level  
E May 19 104g

analyzing non-linear .....EI Oct 112g

application of Boolean notation to  
maintenance of switching EE June 372g

basic RCTL, for computers .....EI May 101g

bootstrap follower .....WW Feb 79g

calculated waveforms for tunnel diode  
locked pair .....IRE Jan 146g

cathode coupled cascode stabilizer  
EE Aug 503g

cold-cathode tube, for automation  
EE Mar 138g EE Apr 232g EE May 296g

complementary resistor transistor logic  
SP Mar 47g

computer logic .....EW Jan 46g

connector design considerations, for low  
level circuits .....EI July 91g

D-C design considerations of a  
transistorized Schmitt trigger SP Nov 29g

delay .....WW Apr 196g

designing avalanche switching  
E Apr 7 81g

designing optimum transistor switching  
ED Jan 18 38g

detector, for sequential checkout systems  
ED Mar 1 60g

differentiation & integration .....WW Jan 34g

evaluating data for low noise transistor  
design .....ED Oct 11 56g

explaining tuned .....PE May 64g

flip-flop .....PE Mar 59g

fluid flip-flop ,when you should use them  
ED June 7 56g

generating square waves with tunnel  
diodes & cores .....E Dec 22 36g

high-speed logic .....RCA Dec 669g

hybrid bootstrap, increase sweep  
linearity .....E Aug 4 46g

logarithmic amplifier .....WW Aug 435g

magnetic, employing ceramic magnets  
IRE Oct 1528g

monostable transistor, for high-ratio  
frequency division & generation  
of short pulse .....SP Aug 30g

multiplication & division .....WW Feb 86g

offbeat transistor radio .....RE Apr 32g

permanent magnet .....WW Mar 143g

pulse comparator, measures frequency  
jitter .....E July 7 54g

pulse modulation .....WW June 310g

WW July 386g



- series B+ \_\_\_\_\_ EW Aug 34g  
squares & square roots \_\_\_\_\_ WW Mar 140g  
stabilized delay, provides high accuracy  
\_\_\_\_\_ E Apr 14 78g  
transient response of grounded emitter  
switching \_\_\_\_\_ SP May 27g  
tri-stable flip-flop \_\_\_\_\_ ED Feb 1 38g  
tunnel-diode performance in an oscillator  
\_\_\_\_\_ ED Jan 18 30g  
tunnel-diode pulse compressor preserves  
superimposed signal \_\_\_\_\_ E Mar 24 36g  
ultrahigh frequency doubler, has broad  
bandwidth \_\_\_\_\_ E Mar 10 194g  
Zener diode, for stable transistor biasing  
\_\_\_\_\_ SP May 43 g \_\_\_\_\_ SP June 35g
- Citizens Radio**  
add a handset to your \_\_\_\_\_ EW Feb 54c  
add a squelch to the CB-1 \_\_\_\_\_ PE Nov 55c  
CB to ham \_\_\_\_\_ EL July 71g  
CB tuning adapter \_\_\_\_\_ EL Feb 50c  
Citizens Band radio pages listener  
\_\_\_\_\_ RE Jan 62c  
cubical Quad for \_\_\_\_\_ PE July 79c  
double CB receiver sensitivity \_\_\_\_\_ RE Oct 86g  
getting peak performance \_\_\_\_\_ PE May 58g  
guide to low power CB transceivers  
\_\_\_\_\_ RE Sept 52g  
hand-held transmitter-receiver \_\_\_\_\_ EW Mar 47c  
handi-talkie CB transceiver \_\_\_\_\_ EL Mar 77c  
how CB radios squelch noises \_\_\_\_\_ TC Oct 34g  
how the FCC monitors \_\_\_\_\_ EW June 99g  
impedance matching antennas for  
\_\_\_\_\_ EW July 31g  
install on your boat \_\_\_\_\_ EL May 78g  
installing Citizens Band radios \_\_\_\_\_ TC Jan 38g  
knack of buying equipment for  
\_\_\_\_\_ PE Aug 69g  
Lafayette Citizens Band radio Model  
HE-20A \_\_\_\_\_ TC Oct s  
limiter circuits clean up reception  
\_\_\_\_\_ TC Aug 42g  
modulation monitor checks CB transmitters  
\_\_\_\_\_ RE May 53c  
new circuitry in \_\_\_\_\_ RE Aug 44g  
Q-multiplier \_\_\_\_\_ PE Mar 76c  
RCA Model Mark VII Radio Phone  
\_\_\_\_\_ TC July s  
reducing Citizens band ignition noise  
\_\_\_\_\_ EW Aug 36g  
Regency radio Model CB-27 & CBM-27  
\_\_\_\_\_ TC Sept s  
service dealer & the CB market  
\_\_\_\_\_ PF May 30g  
speech clipper for transceiver \_\_\_\_\_ EW Apr 32c  
standing-wave indicator for CB testing  
\_\_\_\_\_ EW Nov 51c  
SWR/power meter for \_\_\_\_\_ PE July 61c  
test set \_\_\_\_\_ RE Feb 54g  
transceiver from car radio \_\_\_\_\_ RE July 48c
- transistorized converter for \_\_\_\_\_ EW Dec 50c  
transistorized squelch for \_\_\_\_\_ RE Apr 72c  
two-transistor receiver for \_\_\_\_\_ EL Apr 62c  
using the BC-221 to check CB frequency  
\_\_\_\_\_ EW May 48g  
you & the CB \_\_\_\_\_ RE June 28g  
Clock, novel digital \_\_\_\_\_ EE Mar 150g  
Coaxial lines  
convenient transformer for matching  
\_\_\_\_\_ EE Jan 42g  
Cobalt, seven ways to use \_\_\_\_\_ E Dec 1 44g  
Coils  
winding nomographs \_\_\_\_\_ EI June 63d
- Communications**  
Black light \_\_\_\_\_ EL Apr 50g  
concept for an intercontinental satellite  
system \_\_\_\_\_ RCA Sept 555g  
Courier satellite \_\_\_\_\_ EL Feb 27g  
designing RFI-free systems \_\_\_\_\_ EI May 114g  
evaluating transmission methods  
\_\_\_\_\_ E May 26 64g  
frequency allocations for space  
\_\_\_\_\_ IRE June 1009g  
light-wave \_\_\_\_\_ RE Mar 49g  
long-wire antenna for meteor burst  
\_\_\_\_\_ E Mar 24 40g  
mechanisms of space \_\_\_\_\_ QST Dec 22g  
new link in U.S. defense-Pacific scatter  
\_\_\_\_\_ RE Nov 94g  
noise factors affecting V.H.F. \_\_\_\_\_ QST June 15g  
on 450,000,000 MC \_\_\_\_\_ RE May 57g  
optical-band radio \_\_\_\_\_ RCA Sept 359g  
pickup devices for Very-Low-Frequency  
reception \_\_\_\_\_ E Apr 14 68g  
power-line carrier \_\_\_\_\_ EW Jan 58g  
satellite sounder & telemeter chart  
ionosphere electron density  
\_\_\_\_\_ E June 23 50g  
solid-state modulators for infrared  
\_\_\_\_\_ E Mar 10 177g  
subsurface, for survival \_\_\_\_\_ E Feb 3 43g
- Computers**  
accurate simulation of nine common  
nonlinearities \_\_\_\_\_ ED June 21 38g  
address system & increment store for a  
digital differential analyzer \_\_\_\_\_ EE Oct 656g  
advanced applications \_\_\_\_\_ IRE Jan 296g  
algebraic function calculations using  
potential analog pairs \_\_\_\_\_ IRE Jan 276g  
analog, for antenna radiation patterns  
\_\_\_\_\_ EE Apr 206g  
analog, problem connector employs  
punched card & crossbar \_\_\_\_\_ E Aug 18 64g  
& the semiconductors that make them  
count \_\_\_\_\_ EW Sept 31g  
arithmetic & control units, logical  
organization of \_\_\_\_\_ IRE Jan 53g  
automatic self-checking transistor counter  
with digital display \_\_\_\_\_ EE Aug 484g

- basic RCTL circuits for \_\_\_\_\_EI May 101g  
 calculated waveforms for tunnel-diode  
 locked pair \_\_\_\_\_IRE Jan 146g  
 Codamite, typewriter-like keyboard  
 QST May 11g  
 control pulse generation for digital  
 differential analyzers \_\_\_\_\_EE June 364g  
 cyclic memories — a comparative evaluation  
 ED Sept 13 62g  
 designing thin magnetic film memories  
 for high-speed \_\_\_\_\_E Mar 3 39g  
 development of flexible-disk magnetic  
 recorder \_\_\_\_\_IRE Jan 164g  
 digital data communication techniques  
 IRE Jan 196g  
 digital differential analyzer, main  
 store of \_\_\_\_\_EE Aug 514g  
 digital equipment for B-70 air vehicle  
 IRE Jan 313g  
 digital simulation in research on human  
 communication \_\_\_\_\_IRE Jan 319g  
 diode steering increases speed of magnetic  
 memories \_\_\_\_\_E Sept 15 68g  
 European electronic data processing  
 IRE Jan 330g  
 evolution of programming systems  
 IRE Jan 283g  
 frequency division by carrier storage  
 EE Jan 40g  
 generated displays \_\_\_\_\_IRE Jan 185g  
 graphical procedure for transistor switching  
 circuit design \_\_\_\_\_ED Feb 15 40t  
 high speed analog to digital \_\_\_\_\_EE Mar 144g  
 high-speed arithmetic in binary IRE Jan 67g  
 high speed memory uses tunnel diode  
 circuit \_\_\_\_\_E Oct 20 66g  
 how to specify analog-to-digital  
 ED May 10 36g  
 identification of vowel types \_\_\_\_\_AS Jan 7g  
 in audio design \_\_\_\_\_A Feb 22g  
 \_\_\_\_\_A Mar 22g  
 in automatic control systems IRE Jan 305g  
 introduction to analog \_\_\_\_\_PE Dec 65g  
 logic circuits \_\_\_\_\_EW Jan 46g  
 magnetic film memory design IRE Jan 155g  
 memories, survey of state of the art  
 IRE Jan 104g  
 multipurpose element for \_\_\_\_\_EE Feb 96g  
 pattern recognition using autocorrelation  
 IRE Jan 175g  
 precision analog memory has extended  
 frequency response \_\_\_\_\_E Sept 29 141g  
 programming 'languages' simplify  
 computer science \_\_\_\_\_EI June 474g  
 putting them to work \_\_\_\_\_WW Nov 570g  
 radar, display traces alphanumeric  
 characters \_\_\_\_\_E June 30 75g  
 registers & accumulators \_\_\_\_\_EW Nov 54g
- simulating war games with analog  
 E Apr 28 104g  
 statistical analysis of certain binary  
 division algorithms \_\_\_\_\_IRE Jan 91g  
 statistical analysis of logic circuit  
 performance in digital systems  
 IRE Jan 236g  
 steps toward artificial intelligence  
 IRE Jan 8g  
 subsystem using kilomegacycle subharmonic  
 oscillators \_\_\_\_\_IRE Jan 128g  
 superconductive, commonplace in ten  
 years? \_\_\_\_\_E Nov 24 45g  
 survey of semiconductor devices & circuits in  
 SP Jan 31g  
 SP Feb 31g  
 survey of tunnel-diode digital techniques  
 IRE Jan 136g  
 three-dimensional core memory  
 accommodates one million bits  
 E May 12 68g  
 today \_\_\_\_\_E Apr 28 63g  
 transient analysis of cryotron networks  
 by simulation \_\_\_\_\_IRE Jan 245g  
 use of thin films for computer storage  
 EE Oct 642g  
 using time-compression techniques in  
 digital correlation \_\_\_\_\_E Mar 10 191g  
 versatile forcing function generator  
 EE Mar 155g  
 vowel recognition by digital AS Apr 426g  
 CONSOLAN, what is it? RE Mar 54g  
 Control  
 requirements, logical specification of  
 EE Nov 732g
- Converters  
 build a marine band \_\_\_\_\_EL Apr 36c  
 characteristics of an auxiliary discharge  
 thermionic energy \_\_\_\_\_IRE Dec 1932g  
 choice & design of DC \_\_\_\_\_EE Apr 226g  
 considerations of photoemissive energy  
 RCA Mar 71g  
 designing a transistor power EW Feb 62g  
 digital voltmeter employs voltage-to-time  
 E May 5 67g  
 feedback linearizes voltage-to-frequency  
 E Sept 1 48g  
 high speed analog to digital SP Mar 29g  
 how much do components limit  
 performance of \_\_\_\_\_ED June 21 52g  
 improved high power D.C. \_\_\_\_\_EE Oct 637g  
 motor current drives switching transistors,  
 in high-efficiency power ED Dec 6 48g  
 new concept in transistor SP June 27g  
 power loss vs frequency in D-C to D-C  
 EI Mar 96g  
 precise frequency control for rotary  
 EE Apr 240g  
 produce television bar display E Nov 3 45g



- reducing spikes in D-C to D-C outputs  
E Oct 20 64g
- simple six-meter \_\_\_\_\_ QST May 44c
- transistor two-meter \_\_\_\_\_ QST May 37c
- transistorized, for 10 to 20 meters  
EW Aug 56c
- 1296MC, without complications  
QST Mar 38c
- Cooling  
how to select an adequate system for  
E Oct 20 54g
- Counters  
digital measurements \_\_\_\_\_ WW June 313g
- economical reversible transistor binary  
EE Sept 597g
- five-binary counting technique makes faster  
decimal-counting units \_\_\_\_\_ ED Jan 18 34g
- multiaperture-core, give nondestructive  
storage readout \_\_\_\_\_ E June 16 62g
- one-shot gating circuit generates  
sinewaves for testing \_\_\_\_\_ E June 9 114g
- photocell field counts random objects  
E Sept 22 46g
- portable integrating scintillation EE Jan 28 49g
- ring, using transistors \_\_\_\_\_ E Jan 27 49g
- Crystals  
contactless method for measuring  
resistivity of silicon \_\_\_\_\_ SP Dec 34g
- for microwave & optical Masers  
E May 5 88g
- IRE standards on piezoelectric  
IRE July 1161d
- technology of pulling single \_\_\_\_\_ SP Nov 25g
- SP Dec 28g
- temperature measurement in crystal-oven  
design \_\_\_\_\_ ED May 10 34g

## D

### Design '61

see also individual categories covering the following

- bionics \_\_\_\_\_ ED Jan 4 62g
- checkout equipment \_\_\_\_\_ ED Jan 4 48g
- communications \_\_\_\_\_ ED Jan 4 52g
- components \_\_\_\_\_ ED Jan 4 58g
- computers \_\_\_\_\_ ED Jan 4 64g
- consumer products \_\_\_\_\_ ED Jan 4 42g
- energy sources \_\_\_\_\_ ED Jan 4 53g
- ground support equipment \_\_\_\_\_ ED Jan 4 41g
- industrial \_\_\_\_\_ ED Jan 4 36g
- infrared \_\_\_\_\_ ED Jan 4 30g
- market \_\_\_\_\_ ED Jan 4 28g
- medical electronics \_\_\_\_\_ ED Jan 4 54g
- microminiaturization \_\_\_\_\_ ED Jan 4 60g
- microwaves \_\_\_\_\_ ED Jan 4 32g
- reliability \_\_\_\_\_ ED Jan 4 46g
- RFI \_\_\_\_\_ ED Jan 4 38g
- satellites \_\_\_\_\_ ED Jan 4 40g
- semiconductors \_\_\_\_\_ ED Jan 4 56g

- telemetry \_\_\_\_\_ ED Jan 4 49g
- test equipment \_\_\_\_\_ ED Jan 4 26g
- ultrasonics \_\_\_\_\_ ED Jan 4 44g
- Dielectric constant, measuring graphically  
E Feb 10 76d
- Digital Design  
cyclic memories, a comparative evaluation  
ED Aug 30 56g
- logic & timing in digital system design  
ED Aug 30 30g
- matrix memories, a comparative  
evaluation \_\_\_\_\_ ED Aug 30 42g
- Diodes  
applications of the constant-current  
E Oct 20 60g
- are different \_\_\_\_\_ EW Apr 50g
- care & handling of tunnel \_\_\_\_\_ RE May 88g
- characteristics chart of new \_\_\_\_\_ SP Feb 56d
- SP Mar 66d SP Apr 60d SP June 56d
- SP Aug 49d SP Oct 50d
- deriving the tunnel curve \_\_\_\_\_ EI Oct 96g
- do it with \_\_\_\_\_ RE Feb 38g
- four layer, trigger high-voltage pulse  
generator \_\_\_\_\_ E June 30 84g
- four layer, what are they \_\_\_\_\_ RE May 44g
- high-frequency power in tunnel  
IRE June 1033g
- high-speed automatic tester \_\_\_\_\_ E Jan 13 93g
- hot-switching surge-current nomograph for  
E Sept 22 58d
- large-signal circuit theory for  
negative-resistance \_\_\_\_\_ IRE Aug 1268g
- logic combines tunnel, with transistors  
E Mar 3 46g
- measuring recovery time for ultra fast  
EI Apr 99g
- microwave figure of merit for tunnel  
E Mar 3 62g
- negative resistance, handles high power  
E Aug 25 44g
- PIN type controls shorted stub transmission  
line \_\_\_\_\_ E Apr 7 76g
- replacement guide \_\_\_\_\_ PF July 32g
- silicon Zener or avalanche, characteristics  
SP Feb 58d SP Apr 61d
- silicon junction, as variable capacitors  
EE Dec 783g
- similarity chart \_\_\_\_\_ EI June 173d
- solid state, in TV \_\_\_\_\_ PF Jan 26g
- survey of tunnel digital techniques  
IRE Jan 136g
- switch \_\_\_\_\_ CQ Feb 36g
- three layer Negative-Resistance & Inductive  
IRE Apr 754g
- tunnel, as a pulse generator \_\_\_\_\_ EI Feb 106g
- tunnel, control quartz-crystal chronometer  
E Sept 29 129g
- tunnel, curve-tracer is stable in  
negative-resistance region \_\_\_\_\_ E May 5 74g

tunnel, for low-level triggers **E Nov 24 52g**  
 tunnel, increase digital-circuit switching speeds **E Aug 11 154g**  
 tunnel, noise nomograph **EI Sept 110d**  
 tunnel, pair **SP July 17g**  
 tunnel, performance in an oscillator circuit **ED Jan 18 30g**  
 tunnel, simplified **EW Mar 44g**  
 tunnel, stabilize coincidence circuit **E Nov 17 133g**  
 Zener, creates logarithmic pulse amplifier **E July 14 68g**  
 Zener, general description **PE June 76g**  
 Zener, simplified **RE Jan 32g**

**Discs**  
 geography of L.P. surfaces **FN Aug 158g**  
 "Polymax" mystery **FN July 83g**

## E

**Earphones**  
 electrostatic **AES Apr 145g**  
 stereophonic, & binaural loudspeakers **AES Apr 148g**

**Education**  
 electronics, the modern schoolteacher **RE Nov 38g**  
 kits teach electronics **RE June 40g**  
 report on audio equipment in **AES Apr 158g**  
 teaching by tape **TR May 20g**  
 there's a teaching machine in your future **EL Apr 29g**

**Electrical diagrams, graphical symbols**  
 supplement **IRE Feb 467d**

**Electroluminescence**  
 display & logic devices **E Mar 24 31g**  
 display presents nanosecond pulses **E Dec 8 53g**  
 electrical analog for layers **RCA Dec 685g**  
 generalization **PE Nov 41g**  
 its characteristics & applications **EE Feb 68g**  
**EE Mar 164g**  
 measurement of luminescence **EE Dec 806g**  
 photoconductive pattern recognizer organizes itself **E July 14 54g**

**Electron Beam, versatile tool & mushrooming technology** **E July 28 39g**

**Electronics**  
 earth-based **E Nov 17 108g**  
 engineering trends in consumer **E Jan 6 115g**  
 high density packaging **ED Apr 12 40g**  
 thermal design **ED Nov 8 44g**  
 in Europe **E June 9 65g**  
 interim packaging **ED Oct 25 35g**

**Electronic Hardware**  
 how to select miniature lamps for electronic equipment **ED July 19 56g**

sockets **EI June 236d**  
 tube & transistor sockets **EI Mar 117g**

**Electronic Packaging**  
 applying dot components to **EI Oct 88g**  
 high-density, structural design **ED July 19 60g**

**Electroplating**  
 all about **EL Mar 46g**  
**EL Apr 60g**

**Epoxies**  
 how to choose a curing agent for **ED July 19 52g**  
 how to choose modifiers for **ED Aug 2 54g**  
 what the electrical engineer should know about **ED May 10 30g**

**Equalization**  
 interconversions in terminology **A Mar 19g**  
 recording & reproducing, for coarse & fine groove records **EE Jan 9g**

## F

**Facsimile**  
 transmitting messages over meteor-burst paths **E May 19 85g**

**Feedback**  
 intransistor amplifiers, how to analyze **EI Sept 98g**

**Ferrites**  
 components for UHF & microwave systems **E Sept 22 37g**  
 mighty midgets of electronics **EL July 36g**

**Ferromagnetics**  
 materials, properties of **EI June 467g**  
 recent advances in **EI Sept 102g**

**Filters**  
 cavity nomogram speeds design of symmetrical band-pass **ED Sept 27 188g**  
 curves help determine envelope delay of m-derived **ED Dec 6 52g**  
 design of Butterworth **EE Feb 106g**  
 design data for band-pass ladder, using ceramic resonators **EE Mar 171g**  
 digital tone, with infinite rejection slope **E Feb 3 58g**

graphical design procedures for maximally flat microwave **E June 30 94t**  
 how to specify crystal **ED Sept 13 58g**  
 S-Plane basis aids design of **EI Feb 98g**  
 self-adaptive, finds unknown signal in noise **E Feb 17 117g**  
 using insertion parameters for design of **EI Feb 95g**  
 using the S-plane for **EI Oct 92g**  
 variable bandwidth band-pass **EE Feb 100g**  
 Fire alarm, fast acting **PE Apr 46c**  
 FM multiplex, see Stereophony

- Frequency Response**  
 curves, what they mean to your ear  
 HR Aug 16g
- Fuel Cells**  
 direct conversion of chemical to electrical  
 energy ED Feb 15 62g  
 tomorrow's electric generators? RE Apr 39g  
 Fuses, how they work RE May 50g
- Fusion**  
 present outlook for controlled  
 thermonuclear RCA Mar 122g

## G

- Gages**  
 semiconductor strain, offer high sensitivity  
 E Feb 17 43g
- Generators**  
 constant-current, measures semiconductor  
 resistance E Nov 24 63g  
 Fourier transform EE Sept 556g  
 EE Oct 646g  
 improvements in electronic music  
 EE Sept 574g  
 monostable pulse, employs Zener-diode  
 clamp E May 12 76g  
 silicon four layer devices as high power  
 pulse EE July 426g  
 subaudio sawtooth, gives one-percent  
 linearity E Dec 1 42g  
 transistorized pulse-pattern EE Dec 788g  
 tunnel-diode fast-step, produces positive  
 or negative steps E July 28 48g

## H

- Heat**  
 direct conversion of, to electromagnetic  
 energy RCA Mar 21g
- High Fidelity Systems**  
 a wall of sound A Apr 24g  
 cabinets for components HF Mar 34g  
 easy to build cabinet for equipment  
 FN Feb 632c  
 unique motel installation A Mar 20g
- High voltage testing, it can be nondestructive**  
 ED Feb 1 40g

## I

- Ignition systems, electronic design of**  
 EI July 164g
- Impedance**  
 analyzing, with the slotted line  
 EI Mar 108g  
 low impedance coupling to parallel  
 resonant circuits CQ Nov 47g  
 matching FN Jan 573g  
 transformer-ratio-arm bridges  
 WW June 329g
- Inductance**  
 electrically variable inductor EI June 144g

November-December, 1961

in thin-film superconducting structures  
 IRE Nov 1640g

- Induction Heating**  
 use of R-F heating in growing crystals by  
 the Czochralski technique SP Oct 25g
- Industrial Electronics**  
 backlighting, best for electronic control  
 panels ED Aug 2 46g  
 breadboarding RE Aug 82g  
 business microwave systems TC Sept 36g  
 commercial sound system fundamentals  
 EW Feb 37g  
 counting techniques EW June 39g  
 dictionary RE July 64d  
 RE Aug 76d  
 die protection, radio-controlled RE Mar 86c  
 electronic control of lighting PF Oct 50g  
 fast numeral reading machine EE Sept 562g  
 fluoroscopic inspection by electroluminescent  
 X-ray converters E Sept 15 56g  
 industrial air purifiers EW July 27g  
 infrared radiometer RE Nov 68g  
 infrared spectroscopy RE June 72g  
 measuring conductivity of solutions  
 EW Mar 52g  
 photoelectric control circuits PF July 28g  
 recording flow meter readings  
 EI May 156g  
 semiconductors improve reliability of  
 steel-mill control equipment  
 E June 9 104g  
 strain gauges, what they can do RE Jan 64g  
 synchros & servo systems PF Jan 36g  
 test equipment PF Apr 52g  
 torque-meter for milling investigations  
 EE May 292g  
 troubleshooting synchro systems  
 PF Mar 26g  
 X-ray apparatus, industrial EW Dec 46g
- Infrared**  
 build an infrared burglar alarm  
 PE Feb 46c  
 circuits in Tiros satellites E Sept 22 43g  
 circuits in Tiros weather satellites  
 E Sept 29 136g  
 curtain system, detects & counts moving  
 objects E Aug 4 40g  
 general discussion PE Feb 41g  
 generating tangential sweeps for infrared  
 mapping E Oct 13 64g  
 radiometer, industrial RE Nov 68g
- Insulation**  
 against nuclear effects EI Dec 124g  
 protective, can increase voltage breakdowns  
 ED Apr 12 54g
- Intercom systems**  
 planning installations PF Oct 34g  
 super-duper model 1 RE Jan 72c  
 three way PE May 52c



## Interference

- elimination of intersymbol, by input signal shaping \_\_\_\_\_ **IRE July 1195g**
- electromagnetic compatibility analysis center ready to start battle with RFI \_\_\_\_\_ **E Nov 24 28g**
- evaluating radio receiver susceptibility to \_\_\_\_\_ **E Apr 14 70g**
- graphical method predicts radio \_\_\_\_\_ **E Feb 3 60g**
- H.F. band, possible techniques for reducing \_\_\_\_\_ **WW July 375g**
- instrumentation for radio interference measurements \_\_\_\_\_ **EI Mar 110g**
- IRE standards on radio \_\_\_\_\_ **IRE Sept 1398g**
- predicting spurious transmitter signals \_\_\_\_\_ **E Apr 68g**
- reducing transmitter \_\_\_\_\_ **EW Jan 53g**  
\_\_\_\_\_ **EW Feb 52g**
- suppressing single frequency \_\_\_\_\_ **EI May 104g**
- tough dogs to cure \_\_\_\_\_ **EW Apr 40g**
- TV, citizen's band problem \_\_\_\_\_ **EL Feb 62g**

## Inverters

- control circuit saves power \_\_\_\_\_ **E Aug 4 56g**
- half-bridge, provides economical three-phase power \_\_\_\_\_ **E Sept 15 62g**
- high power DC-AC inverter with sinusoidal output \_\_\_\_\_ **EE Sept 586g**
- noise, in action \_\_\_\_\_ **PF May 32g**
- speed-up circuits improve switching of transistor \_\_\_\_\_ **E Nov 10 92g**
- three-phase static, power space-vehicle equipment \_\_\_\_\_ **E May 5 70g**

## J

- Jacobians, using for frequency-selective networks \_\_\_\_\_ **EI Jan 86g**

## K

### Klystrons

- an introduction to \_\_\_\_\_ **QST Aug 11g**
- new design for constant repeller voltage \_\_\_\_\_ **E Feb 10 66g**
- new results in frequency multiplication & nonlinear phase distortion in \_\_\_\_\_ **RCA Mar 162g**
- solenoids for traveling-wave tubes & \_\_\_\_\_ **E Dec 8 66g**
- tube for outer space \_\_\_\_\_ **RE Feb 46g**

## L

### Laser

- brightest light in electronics future \_\_\_\_\_ **PE Feb 50g**
- devices & systems \_\_\_\_\_ **E Oct 27 39g**  
\_\_\_\_\_ **E Nov 3 40g**  
\_\_\_\_\_ **E Nov 10 81g**  
\_\_\_\_\_ **E Nov 24 54g**
- transmitter, using optical ranging system \_\_\_\_\_ **E Apr 21 51g**

## Limiters

- design simple, phase-stable \_\_\_\_\_ **ED June 7 52g**
- ### Logic
- design of circuits for, using thin films & tunnel diodes \_\_\_\_\_ **E Sept 15 59g**
  - solving design problems in all-magnetic \_\_\_\_\_ **E May 5 61g**
  - transistor binary digital system \_\_\_\_\_ **EE Nov 740g**

## Loudspeakers

- acoustical measurements on a home stereo installation \_\_\_\_\_ **PGA Mar-Apr 41g**
- binaural, & stereophonic loudspeakers \_\_\_\_\_ **AES Apr 148g**
- build an all-transistor electronic crossover \_\_\_\_\_ **RE June 37c**
- common-bass stereo speaker system \_\_\_\_\_ **A Nov 19c**
- convert your speaker system to stereo \_\_\_\_\_ **RE Mar 59c**
- corona-type, for animal studies \_\_\_\_\_ **AS Dec 1708g**
- Decca corner speaker, 12" version \_\_\_\_\_ **FN Jan 570c**
- design \_\_\_\_\_ **A Feb 36t**
- double chamber speaker enclosure \_\_\_\_\_ **EW Dec 41c**
- electrodynamic, has totally active surface \_\_\_\_\_ **E June 16 49g**
- full range electrostatics are here \_\_\_\_\_ **RE July 30g**
- general discussion \_\_\_\_\_ **HR Apr 50g**
- high compliance \_\_\_\_\_ **PE May 68g**
- horn-type speakers \_\_\_\_\_ **FN Nov 361g**  
\_\_\_\_\_ **FN Dec 453g**
- how to build the "Tricolumn" \_\_\_\_\_ **FN May 853c**
- how to get the most from your loudspeakers \_\_\_\_\_ **HR Oct 59g**
- how to place your stereo \_\_\_\_\_ **RE Oct 91g**
- intense sound fields by multiple driver-horns \_\_\_\_\_ **AS July 936g**
- introducing the Ionovac \_\_\_\_\_ **PE May 56g**
- ionic, driverless tweeter \_\_\_\_\_ **HF Jan 46g**
- line radiators \_\_\_\_\_ **A July 19g**
- listening in the next room \_\_\_\_\_ **WW Sept 442g**
- magnet design \_\_\_\_\_ **A Sept 44g**
- measurements, IRE recommended practices on audio & electroacoustics \_\_\_\_\_ **IRE Oct 1553g**
- medium hi-fi, minimum cost \_\_\_\_\_ **A Apr 38c**
- new speakers only 4 inches thin \_\_\_\_\_ **RE Nov 78g**
- performance of series-parallel speaker arrays \_\_\_\_\_ **A Sept 23g**
- power \_\_\_\_\_ **A Oct 54g**
- reactance measurements \_\_\_\_\_ **WW Oct 535g**
- reflection coupler gives stereo spread \_\_\_\_\_ **A June 30g**

simple & ingenious reflex enclosure

space-saver speaker system \_\_\_\_\_ **PE** Jan 19g

strategy for the speaker shopper \_\_\_\_\_ **PE** July 72c

sub-marine sonics \_\_\_\_\_ **HR** Dec 53g

tailored to your room \_\_\_\_\_ **A** July 22g

testing & measurement \_\_\_\_\_ **EW** Jan 38g

testing in rooms \_\_\_\_\_ **EW** Oct 42g

tricolour \_\_\_\_\_ **AES** Jan 54g

what you should know about \_\_\_\_\_ **FN** Apr 786g

\_\_\_\_\_ **PF** May 28g

## M

### Magnetics

how materials behave at nanosecond pulse

widths \_\_\_\_\_ **E** Sept 8 72g

recent progress in \_\_\_\_\_ **E** Jan 13 81g

### Marine Electronics

depth sounders \_\_\_\_\_ **EW** Sept 44g

\_\_\_\_\_ **EW** Oct 60g

### Measurements

automatic servo-driven bridge measures

analog voltage ratios \_\_\_\_\_ **E** July 28 53g

how to make music-power \_\_\_\_\_ **EW** June 27g

impedance-magnitude \_\_\_\_\_ **WW** Sept 457g

Lissajous figures & counting techniques

\_\_\_\_\_ **WW** Dec 643g

low-level R-F voltage with servo feedback

techniques \_\_\_\_\_ **E** July 14 63g

novel method of frequency \_\_\_\_\_ **CQ** May 34g

of harmonic distortion \_\_\_\_\_ **WW** Nov 576g

phase difference, unusual method using

a counter \_\_\_\_\_ **WW** Aug 420g

radio-frequency \_\_\_\_\_ **WW** Nov 589g

standards \_\_\_\_\_ **EI** June 135g

transformer-ratio-arm bridges for impedance

\_\_\_\_\_ **WW** June 329g

transistor & switching circuit

\_\_\_\_\_ **ED** July 19 42g

UHF phase, by an AM process \_\_\_\_\_ **EI** May 110g

ultra-low resistance \_\_\_\_\_ **EW** Mar 56g

### Medicine

advances in medical electronics \_\_\_\_\_ **EW** Nov 33g

blood cell counter \_\_\_\_\_ **EE** July 444g

brain surgery by ultrasonics \_\_\_\_\_ **EL** Feb 56g

cardiac pacemaker trigger heartbeats

\_\_\_\_\_ **E** Oct 6 80g

diagnostic measurements \_\_\_\_\_ **E** Jan 20 49g

diagnostic systems & visualization

\_\_\_\_\_ **E** Feb 3 46g

electrical activity of the human heart

\_\_\_\_\_ **EW** Aug 27g

electronic nerve cell \_\_\_\_\_ **WW** Feb 61g

electronic checks bone mending

\_\_\_\_\_ **PE** May 46g

electronics in the psychology laboratory

\_\_\_\_\_ **RE** July 82g

electrophoresis, techniques, applications

& maintenance \_\_\_\_\_ **EW** Sept 52g

50 cps cannulated electromagnetic

flowmeter \_\_\_\_\_ **EE** Oct 650g

heart-sound discriminator simplifies

medical diagnosis \_\_\_\_\_ **E** June 16 52g

listen to your heart \_\_\_\_\_ **PE** June 47g

measuring eyeball pressure with a crystal

oscillator \_\_\_\_\_ **E** Sept 8 64g

measuring the heart beat of an active athlete

\_\_\_\_\_ **EE** Jan 6g

microflash & pulse stimulator test human

optical response \_\_\_\_\_ **E** July 7 48g

observing life processes \_\_\_\_\_ **E** Dec 15 65g

prosthetics-hearing aids & blind guidance

devices \_\_\_\_\_ **E** June 23 43g

prosthetics, substitute organs & limbs

\_\_\_\_\_ **E** July 21 63g

review of world-wide progress of

electronics in \_\_\_\_\_ **E** Aug 25 41g

R-F spot welder reattaches retina of

human eye \_\_\_\_\_ **E** Aug 11 160g

sensitive amplifier helps locate tumors

\_\_\_\_\_ **E** Jan 6 123g

simulating nerve networks with four-layer

diodes \_\_\_\_\_ **E** Oct 13 51g

therapeutic devices \_\_\_\_\_ **E** Feb 24 54g

ultrasonic frequency responder aids blind

\_\_\_\_\_ **E** Oct 27 48g

### Microelectronics

circuit considerations relating to

\_\_\_\_\_ **IRE** Feb 420g

### Microphones

build an FM wireless \_\_\_\_\_ **EL** Mar 29c

effectiveness of windscreens on \_\_\_\_\_ **AES** Jan 48g

from lamp sockets \_\_\_\_\_ **PE** Oct 58c

pressure response of condenser \_\_\_\_\_ **AS** Feb 177g

ratings for public address \_\_\_\_\_ **TC** July 40g

reciprocity calibration of \_\_\_\_\_ **AS** Apr 514g

short range communicator \_\_\_\_\_ **RE** Jan 80g

transistorized FM wireless \_\_\_\_\_ **EI** Feb 200g

use of polyester films in design of

\_\_\_\_\_ **AES** July 218g

### Microwaves

agreement near on new precision coax

connectors \_\_\_\_\_ **ED** Aug 30 103g

application techniques for socketless

vacuum tubes \_\_\_\_\_ **ED** Oct 25 164g

cavity nomogram speeds design of

symmetrical band-pass filters

\_\_\_\_\_ **ED** Sept 27 188g

coaxial magnetron, new power source for

\_\_\_\_\_ **E** Nov 10 78g

design of a broadband UHF diode switch

\_\_\_\_\_ **ED** Nov 22 124g

design of a high-speed diode switch

\_\_\_\_\_ **ED** Aug 30 106g

designing cavities in the 500-Mc range

\_\_\_\_\_ **ED** Feb 15 180g

designing the "Parant" \_\_\_\_\_ **ED** July 5 136t

designing 2-millimeter wave components **EI Feb 90g**  
 direct microwaves-to-electricity power  
 seen near **ED July 5 131g**  
 discharge, frequency conversion in a **IRE Dec 1890g**  
 Doppler modulation systems — pros & cons **ED Aug 2 166g**  
 excess noise figure nomograph **ED June 7 140d**  
 helix parametric amplifier **RCA June 219g**  
 high power component testing **EI Nov 100g**  
 improved method cuts errors in  
 swept-frequency tests **ED June 7 136g**  
 interaction of, in gaseous plasmas immersed  
 in magnetic fields **IRE Dec 1877g**  
 low-level garnet limiters **IRE Aug 1308g**  
 low-noise quadrupole amplifier **IRE June 1016g**  
 magnetically focused travelling wave tubes **WW Sept 491g**  
 millimeter-wave generators approaching  
 pay-off stage **ED May 10 171g**  
 minimizing boresight errors in  
 aerodynamic radomes **ED Dec 20 152g**  
 new concepts in antenna research **ED Feb 15 175g**  
 new concepts in detecting weak  
 electromagnetic signals **E Sept 15 49g**  
 new definitions of receiver noise  
 performance **ED July 5 142g**  
 noise investigation of tunnel-diode  
 amplifiers for **IRE Apr 739g**  
 nomograph for determining surface area  
 of paraboloidal devices **ED June 7 142g**  
 nomograph speeds design of tunable  
 coaxial cavities **ED May 10 180g**  
 past, present & future **EI Nov 90g**  
 plasma microwave energy detector **IRE Dec 1901g**  
 plasma noise generator uses air-cooled neon  
 tube **ED Jan 18 144g**  
 practical design for magnetic radar  
 modulators **ED Aug 2 160g**  
 solid state control of **EI Nov 115g**  
 straight talk on mismatch **ED Dec 20 158g**  
 submillimeter wave radiometry **IRE June 1024g**  
 sulfamate nickel, boon to electroformed  
 components **ED Jan 18 140g**  
 systems applications due for parametric  
 frequency multipliers **ED Sept 27 179g**  
 systems for business **TC Sept 36g**  
 testing transmission lines for, using  
 sampling oscilloscope **E June 30 86g**  
 thermal drift in power meters **EI Nov 102g**  
 tunnel-diode oscillators for **IRE Apr 744g**  
 versatile waveguide nomogram speeds  
 S. Band design **ED Nov 22 128g**

weather-radar forecast, Doppler systems  
 a must **ED Dec 20 148g**  
 when to use strip transmission line **ED Sept 27 182g**

Missiles, see Satellites

#### Modulators

an ultra-linear **QST Oct 57c**  
 audio frequency phase, using pulse  
 techniques **EE Dec 772g**  
 complementary transistors simplify design **E Apr 14 64g**  
 diode, putting them to work **EI July 86g**  
 high efficiency transistorized **CQ Nov 57g**  
 hybrid cathode **PE Sept 56c**  
 review of the transistor chopper **SP Feb 42g**  
 single-bit Delta modulating systems **E Nov 17 125g**  
 using voltage-variable capacitors in design of **E Jan 20 56g**  
 zero bandwidth modulation **CQ Apr 57g**

#### Modules

design trends in low-K substrate **EI Mar 92g**

#### Motors

guidelines for selecting battery-operated  
 governed **ED Nov 22 38g**

#### Multiplex, see Stereophony

#### Multivibrators

a transistor **EE May 303g**  
 design **WW May 257g**  
 designing emitter-coupled monostable **E July 21 86g**  
 designing, with complementary transistors **ED Oct 11 40g**  
 monostable, with stable delay times **E Dec 8 64g**  
 transistor, has crystal control **RE Nov 48c**

#### Musical Instruments

add percussion to your electronic organ **RE Sept 92g**  
 build this transistorized chord organ **EL May 40c**  
 electronic organ — high fidelity  
 instrument **A Nov 35g**  
 electronic organ tuning **A Dec 30g**  
 Hi-Fi News electronics organ **FN June 34c**  
**FN May 862 g** **FN Aug 161c**  
**FN July 90c** **FN Oct 307c**  
**FN Nov 377c**  
**FN Dec 463c**

improvements in electronic music  
 generators **EE Sept 574g**  
 noise generator helps create pipe-organ  
 sound electronically **E Nov 17 130g**  
 simple electronic chord organ **EE July 421g**  
 transistorized metronome **PE June 54c**  
 transistorized theremin **EW Jan 29c**



## N

## Networks

- |  |               |
|--|---------------|
| all-pass .....   | ED Feb 15 44g |
|  | ED Apr 12 46g |
| driving the Class AB1 linear amplifier<br>through L- .....           | CQ June 34g   |
| linear passive four-terminal .....                                   | WW Feb 89g    |
| optimum transistor stabilization .....                               | EE Dec 798g   |
| reduce ripple & rise time .....                                      | ED Mar 1 68g  |
| resistor, for solving Laplace's & Poissons<br>equations .....        | IRE May 933g  |
| solid, a growing field .....   | EI May 120g   |
| step by step design techniques for<br>multilayer thin-film .....     | E May 19 90g  |
| time-varying .....   | IRE Oct 1488g |
| transforming resistance-capacitance &<br>resistance-inductance ..... | E May 12 82g  |
| transistorized selective amplifiers using<br>RC .....                | EE Nov 732g   |
| transmission line matching, & transformers<br>.....                  | CQ Sept 38g   |

## Noise

- & music \_\_\_\_\_ **HR June 29g**  
auto radio, reduction techniques \_\_\_\_\_ **TC Apr 44g**  
considerations in design & operation of  
supersonic transport \_\_\_\_\_ **NC July-Aug 4g**  
control, using double-wall enclosure for  
impulsive sound source \_\_\_\_\_ **NC Sept-Oct 12g**  
criteria for comparing effectiveness of  
damping treatments \_\_\_\_\_ **NC May-June 27g**  
cruise flight levels in turbojet transport  
\_\_\_\_\_ **NC Mar-Apr 37g**  
effect of external sound on hearing tests  
\_\_\_\_\_ **NC May-June 22g**  
fluctuation, in semiconductor space-charge  
regions \_\_\_\_\_ **IRE May 921g**  
generating random, with radioactive sources  
\_\_\_\_\_ **E Sept 8 66g**  
human response to jet engine  
\_\_\_\_\_ **NC May-June 11g**  
jet engine, control at General Electric  
\_\_\_\_\_ **NC May-June 14g**  
levels in a railway buffet car  
\_\_\_\_\_ **NC May-June 45g**  
loudness function in \_\_\_\_\_ **AS Dec 1705g**  
measurement of \_\_\_\_\_ **NC Mar-Apr 4g**  
measurement of rocket engine  
\_\_\_\_\_ **NC Mar-Apr 25g**  
notes on scaling jet & rocket  
\_\_\_\_\_ **AS Sept 1171g**  
preferred frequencies & non-standard  
filter sets \_\_\_\_\_ **NC May-June 47g**  
quieting air-conditioning equipment  
\_\_\_\_\_ **NC Mar-Apr 22g**  
reduction, new techniques in helicopter  
\_\_\_\_\_ **NC May-June 4g**

- simulated, combined vibration, sustained  
acceleration & extreme temperature  
environments \_\_\_\_\_ NC Jan-Feb 5g  
sound absorption of acoustical materials  
in reverberation rooms \_\_\_\_\_ NC Jan-Feb 33g  
source of sound in semi-reverberant spaces  
\_\_\_\_\_ NC Jan-Feb 21g  
stop, in mobile radios \_\_\_\_\_ RE Aug 36g  
uninvited guest \_\_\_\_\_ HF May 43g  
universal random vibration nomograph  
\_\_\_\_\_ NC Sept-Oct 27d

## O

## Optics

- electron trigonometry- new tool for  
electron-optical design .....IRE Oct 1538g  
handling light with fiber .....EI Dec 102g  
optical techniques for electronics engineers  
E Oct 20 47g

## Oscillators

- analysis of magnetic second-subharmonic  
IRE Apr 779g  
analysis of modes of operation of simple  
transistor \_\_\_\_\_ IRE Sept 1383g  
applications of frequency-sweep  
WW Feb 57g WW Mar 129g  
WW May 275g  
crystal BEATNIK \_\_\_\_\_ RE May 74c  
crystal-stabilized tunnel-diode E Sept 1 40g  
designing a common-emitter blocking  
EI July 110g  
designing tunnel diode oscillators  
E Feb 10 68g  
developing for 450-470MC \_\_\_\_\_ EI Jan 198g  
double-base-diode \_\_\_\_\_ WW Sept 451g  
modulated 10-KC calibration EW Dec 55c  
solid circuit microminiature WW Oct 527g  
tapered distributed RC lines for phase-shift  
IRE June 1021g  
transistorized two-tone test \_\_\_\_\_ CQ Aug 38c  
tunnel-diode microwave \_\_\_\_\_ IRE Apr 744g  
tunnel-diode performance in an  
ED Jan 18 30g  
tunnel diode sine-wave \_\_\_\_\_ ED Aug 2 40g  
ED Aug 16 52g  
220 Mc transistorized \_\_\_\_\_ CQ July 51c  
ultra-stable high-Z V.F.O. \_\_\_\_\_ EW July 58c  
using WWV for calibrating precision  
EI Mar 238g  
varistor network controls voltage-tuned  
E July 28 44g  
VHF demonstration \_\_\_\_\_ EW Jan 36c  
voltage-variable capacitors make a  
relaxation \_\_\_\_\_ E May 19 96g  
wide band voltage controlled \_\_\_\_\_ EE Jan 2g

P

## Packaging

- high density electronic \_\_\_\_\_ED May 10 44g  
resistance welding \_\_\_\_\_ED May 24 44g

Parasitics, symptoms, causes & cures  
CQ Jan 32g

Patents  
applications & taint of public use  
A Mar 34g  
loss by prior use or sale A Oct 50g

Phantastrons  
circuits using transistors E Feb 24 46g  
plate voltage control of frequency  
E Feb 10 73g  
step by step design of ED May 10 40g

Phonographs  
how to get the most from record-playing  
equipment HR June 47g  
shock-proof record player suspension  
system EW Aug 42c  
what can you tell me about record  
players? PE Oct 53g

Photocells  
novel uses for photoconductive  
EW Aug 46c  
understanding silicon EI Feb 102g

Photography  
applying the Kerr cell to nanosecond  
E Aug 18 56g  
aspects of high-speed instrumentation  
MP Jan 1g  
astrocon tube & its application to  
high-speed photography MP June 440g  
automatic photo-enlarger timer EW May 61c  
bistable circuit times camera exposures  
E Nov 10 91g  
build a sensitive directional light meter  
RE July 37c  
camera periscope for cathode-ray tube  
photography E Dec 29 51g  
challenge of 8mm sound film  
MP Aug 581g  
darkroom meter PE Apr 50c  
darkroom timer EL Mar 50c  
electronics in TC Feb 37g  
flash X-ray tubes, theory of operation  
MP Jan 10g  
holdover in Xenon flashlamps MP Jan 7g  
image intensifier in flash radiography  
MP Jan 20g  
inside the electronic photoflash  
RE Mar 36g  
method of analyzing high-speed films  
MP May 374g  
microphotographs for electronics SP Jan 37g  
multi-strobe EL Feb 44c  
servicing electronic photoflash equipment  
PF Feb 44g  
some uses of optical Mesers in  
MP July 509g  
synchronize your slides with tape  
TR Jan 16g  
ultrasensitive lightmeter RE Oct 43c

use of spark gaps for high speed  
EE Nov 709g  
X-ray flash cinemetography MP Jan 18g  
what is the sensitivity of a photographic  
system MP July 515g

Pickups  
accurate record equalizer WW Mar 121g  
another Collaro arm modification  
FN Aug 153c  
aspects of wear & calibration of test records  
AES Apr 111g  
cartridge & needle replacement guide  
PF Oct 38g  
design of a stereophonic pickup  
cartridge AES July 215g  
how to get the most from your changer  
HR Aug 45g  
laboratory report on stereo HR Oct 52g  
HR Nov 57g  
new pickup arms for stereo RE Nov 43g  
phonograph record deformation  
WW July 353g  
pickup arms for stereo, specifications  
RE Nov 46g  
reproduction distortion AES Apr 115g  
versatile stereophonic WW Aug 407g

Plasma  
antenna noise temperature in plasma  
environment IRE Dec 1846g  
delivering megawatt R-F pulses for  
resonant heating of E July 21 70g  
determining electron density &  
distribution in E Apr 7 71g  
electrical conductivity of partially ionized  
gas IRE Dec 1872g

engineering  
applications of E Sept 1 29g  
generating & heating plasma  
E July 14 47g  
measuring E Aug 4 33g  
generalized Appleton-Hartree equation  
IRE Dec 1857g  
generating highly ionized quiescent  
IRE Dec 1926g  
guide couplers control microwave power  
E Oct 6 72g  
interaction of modulated electron beam  
with IRE Dec 1906g  
introduction to the plasma issue  
IRE Dec 1747g  
ionic & plasma propulsion for space  
vehicles IRE Dec 1789g  
megamp switch is developed for study of  
E July 14 72g  
oscillations & noise in low-pressure DC  
discharges IRE Dec 1767g  
physics, an elementary review  
IRE Dec 1751g

- RF reflectance of plasma sheaths \_\_\_\_\_ IRE Dec 1831g
- R-F techniques for controlled  
thermonuclear fusion \_\_\_\_\_ E Oct 27 50g
- synthesis & its application to thermionic  
power conversion \_\_\_\_\_ RCA Mar 7g
- the radio-frequency torch \_\_\_\_\_ EW Feb 29g
- Potentiometers  
how to specify noise in precision linear  
\_\_\_\_\_ ED Feb 15 48g
- incremental transfer function, how to  
measure \_\_\_\_\_ ED June 21 42g
- loading, nomograph for \_\_\_\_\_ EI Feb 108d
- multi-tapped, as accurate linear transducers  
\_\_\_\_\_ EE Jan 32g
- precision, need better specifications  
\_\_\_\_\_ ED July 19 48g
- reliability of precision, estimating the  
\_\_\_\_\_ EI Mar 106g
- terms & data \_\_\_\_\_ EI June 35g
- two sides to reliability \_\_\_\_\_ ED July 19 64g
- Power supplies  
adjustable D.C. \_\_\_\_\_ EW June 56c
- control panel for high voltage CQ July 52c
- design of regulated low-voltage  
\_\_\_\_\_ QST Oct 23g
- electronic dry cell \_\_\_\_\_ RE May 40c
- emergency \_\_\_\_\_ EW Feb 81c
- for transistor circuits \_\_\_\_\_ EW May 58c
- how to use silicon-controlled-rectifiers in  
\_\_\_\_\_ ED Oct 11 46g \_\_\_\_\_ ED Oct 25 52g
- improving techniques for \_\_\_\_\_ CQ Jan 54g
- inexpensive 150 watt \_\_\_\_\_ CQ Aug 44c
- multioutput variable-voltage QST Aug 27c
- multi-purpose low voltage supply  
\_\_\_\_\_ EW Aug 44c
- precision variable frequency \_\_\_\_\_ E Jan 13 99g
- regulate that voltage \_\_\_\_\_ A Jan 28g
- regulation \_\_\_\_\_ CQ Apr 52g
- simple circuit for protection of stabilized  
transistor \_\_\_\_\_ EE Aug 521g
- transformer & shunt transistors regulate D-C  
\_\_\_\_\_ E May 19 99g
- transistor pack powers model railroad  
\_\_\_\_\_ RE Feb 40c
- troubleshooting, with a scope \_\_\_\_\_ RE Apr 48g
- TV low voltage problems \_\_\_\_\_ TC July 44g
- two-way \_\_\_\_\_ QST Dec 37c
- Preamplifiers, see Amplifiers
- Printed Circuits  
designing spiral antennas using  
\_\_\_\_\_ E Apr 28 99g
- desoldering \_\_\_\_\_ RE Apr 52c
- evaluation of fabricating techniques  
\_\_\_\_\_ ED Dec 6-44g
- guide to fabricating techniques  
\_\_\_\_\_ ED Nov 22 42g
- hand soldering of \_\_\_\_\_ WW Mar 149g
- leakage in \_\_\_\_\_ WW June 319g
- selected boards for \_\_\_\_\_ EI June 54g
- service problems \_\_\_\_\_ EW Jan 41g
- Project OSCAR  
general information \_\_\_\_\_ QST Feb 56g
- ground support for \_\_\_\_\_ QST May 45g
- Propagation  
appearance of the moon at radio  
frequencies \_\_\_\_\_ QST May 21g
- deep water sound \_\_\_\_\_ AS Apr 456g
- fifty years research in radio wave  
\_\_\_\_\_ WW Apr 203g
- how surface waves propagate along a  
dielectric sandwich \_\_\_\_\_ E May 5 82g
- in fog \_\_\_\_\_ AS Sept 1201g
- properties of tropospheric scattered fields  
\_\_\_\_\_ IRE Apr 788g
- Sporadic-E opens new horizons  
\_\_\_\_\_ RE Oct 104g
- Sporadic-E warning service for six-meter  
men \_\_\_\_\_ QST July 19g
- the sunspot story \_\_\_\_\_ CQ Apr 26g
- \_\_\_\_\_ CQ May 36g \_\_\_\_\_ CQ June 44g
- use of magnetic fields in elimination of  
re-entry radio blackout \_\_\_\_\_ IRE Dec 1825g
- Psychoacoustics, what is? \_\_\_\_\_ AES Jan 2g
- Public Address  
hi-fi system for \_\_\_\_\_ FN Mar 715g
- impedance matching in systems for  
\_\_\_\_\_ EW Sept 38g \_\_\_\_\_ EW Oct 53g
- \_\_\_\_\_ EW Nov 61g
- installing background music systems  
\_\_\_\_\_ TC Aug 38g
- sound systems in school & industry  
\_\_\_\_\_ RE Sept 38g
- transistorized PA system \_\_\_\_\_ PE Aug 54g
- wiring up the system \_\_\_\_\_ EW Mar 61g

## R

### Radar

- antenna test load \_\_\_\_\_ EI Nov 94g
- astronomy \_\_\_\_\_ EL Sept 73g
- automatic beacon identifies aircraft  
\_\_\_\_\_ E Feb 10 57g
- boxcar circuits using nuvistors,  
transistors & Zeners \_\_\_\_\_ E Sept 15 66g
- coincidence techniques for receivers for  
\_\_\_\_\_ IRE Oct 1561g
- combining remote on a central display  
\_\_\_\_\_ E Feb 17 124g
- danger of waves, the truth about  
\_\_\_\_\_ PE Mar 42g
- detection range predictions for pulse  
Doppler \_\_\_\_\_ IRE Aug 1299g
- digital circuits achieve automatic control  
of range tracking \_\_\_\_\_ E Dec 29 46g
- equating 'noise-temperature' with  
'noise-figure' \_\_\_\_\_ EI Nov 108g
- explores the moon \_\_\_\_\_ PE May 41g
- simulator tests tracking systems \_\_\_\_\_ E Feb 24 51g



- search-radar analog simulator reproduces jamming, scintillation — **E Aug 25 58g**  
 sequential detection system for processing returns — **IRE Sept 1417g**  
 speed-trap detector — **PE Sept 49g**  
 tracking, moving-target simulator tests — **E Mar 31 58g**
- Radiation**  
 build a detector for — **PE Nov 45c**  
 detecting microwave hazards **EW June 31g**  
 hazards, technical aspects of microwave — **IRE Feb 427g**  
 irradiation susceptibility nomograph — **E Oct 13 68g**  
 secondary surveillance — **EE July 414g**  
 — **EE Aug 490g**  
 specific material applications in high-energy fields — **EI June 101g**  
 Van Allen belt affects materials **EI Apr 90g**  
 what designers should know about transient — **E Feb 10 62g**
- Radio-Control**  
 build 4-channel system — **RE Nov 32c**
- Receivers**  
 all-band transistor communications — **WW Dec 626g**
- amateur**  
 balanced detector in a T.R.F. — **QST May 29c**  
 BC-453 as tunable IF in multiband — **QST Feb 11c**  
 calculating spurious responses of — **E July 7 62g**  
 complete two band station for V.H.F. beginners — **QST July 12c**  
 — **QST Oct 28c** — **QST Sept 32c**  
 electronic control system — **CQ Feb 49c**  
 general coverage vs ham bands — **CQ Jan 52g**  
 HBR-16 with an Eddystone dial — **QST June 18c**  
 improving the Heath AR-3 — **CQ June 41c**  
 sectionalized communications — **QST Oct 11c**  
 transistorized 'add-on' B.F.O. — **CQ Dec 38c**  
 tunable converter for 6 meters — **CQ Oct 41c**  
 ultimate conversion of Super Pro — **CQ Apr 38c**  
 — **CQ Apr 35c**  
 unique transistor squelch — **QST Dec 31c**  
 unit-type construction — **QST Dec 31c**  
 updating the 75A-2 — **CQ May 44c**  
 auto, for 1961 — **EW June 47g**  
 BC band DX booster — **PE Feb 63c**  
 build a souped-up crystal — **EL May 60c**  
 computing noise levels in microwave systems — **E Aug 4 52g**
- crystal-controlled frequency spotter — **EL Mar 65c**  
 Delco auto radio 1961 Buick Model 980134 — **TC Aug s**  
 Delco auto radio 1961 Chev. Model 988414 — **TC July s**  
 eliminating signal ambiguity **EI Apr 101g**  
 Emerson portable transistor chassis 120528 — **TC Mar s**  
 evaluating susceptibility to interference — **E Apr 14 70g**  
 flip-top radio — **RE May 32c**  
 FM portables — **HF July 37g**  
 General Electric transistor Models CT110, CP775 — **TC Feb s**  
 improving sensitivity — **EW June 50g**  
 microwave swept, uses zero intermediate frequency — **E Apr 14 59g**  
 Motorola auto radio Continental Model 1TMC — **TC Nov s**  
 Motorola auto radio Ford & Falcon Model 14MF — **TC July s**  
 Motorola aut radio 1961 Plymouth MoPar 109 — **TC Oct s**  
 Motorola auto radio Rambler American Model 13MAM — **TC Sept s**  
 OTL circuits in transistor sets — **RE Aug 50g**  
 pocket VHF — **RE Jan 39c**  
 sensitivity of linear — **EI Apr 116g**  
 sensitivity of nonlinear — **EI Sept 118g**  
 service aids for transistor — **RE June 53g**  
 short-wave converter — **EL Mar 70c**  
 single transistor — **WW Sept 476g**  
 single tube V.H.F. receiver — **PE Sept 45c**  
 special services — **RE Feb 82g**  
 Stribel auto radio — **TC Mar s**  
 superhet in a headphone — **RE Sept 44c**  
 Sylvania transistor radio model 4P19 series — **TC Oct 3**  
 Telefunken Caprice 5051W — **TC Nov s**  
 Telefunken AM-FM SW radio Model 5061 W — **TC Aug s**
- television**  
 Admiral TV chassis 15H1 — **TC Jan s**  
 Admiral TV chassis 15H1 — **PF May 1g**  
 Admiral TV chassis 16A9 & 16A9U — **TC Sept s**  
 Admiral TV chassis 20C7 — **PF Jan 1g**  
 add A.F.C. to TV sets — **EW July 48c**  
 Admiral TV chassis 20A7, -A7B, 204A7, -4A7B, 20B7, 20C7 — **TC July s**  
 Admiral TV chassis 20L7 — **PF Sept 1g**  
 Airline Model WG-6030A — **PF Jan 2g**  
 Andrea TV chassis VT119 series — **TC Apr s**  
 Andrea TV chassis VS 323-5 — **PF Aug 1g**  
 Delmonico TV portable Model PTV-19 — **TC July s**

DuMont TV chassis 120600-A, -601-A  
TC Oct s

DuMont TV chassis 120602A  
PF July 1g  
TC Feb s

Electrohome TV model "Selkirk"  
TC Feb s

Emerson TV chassis 120530C, -549C,  
-550D, -551C, 552E, -553F, -554E,  
-555E, -556F, -557E \_\_\_\_\_TC July s

Emerson TV chassis 120541C PF Mar 1g

Emerson TV chassis 120564C  
PF Aug 2g

Emerson TV chassis 120587A, -588B,  
-589C, -593A \_\_\_\_\_TC Nov s

Fleetwood TV chassis 1010 \_\_\_\_\_PF Feb 1g  
TC Apr s

Gamble-Skogmo TV models 9590A,  
-91A, -92A \_\_\_\_\_TC June s

Gamble-Skogmo TV chassis TV2-9620A  
TC Oct s

General Electric TV chassis "LW"  
TC Mar s

General Electric TV chassis LW  
PF Sept 2g

General Electric TV chassis MW  
TC Sept s

General Electric TV chassis M575  
TC Jan s

General Electric TV chassis U5  
PF Mar 2g

Hoffman TV chassis 326 \_\_\_\_\_PF Mar 3g

Magnavox TV chassis 35 series TC Apr s

Magnavox TV chassis U-35-02-00  
PF July 2g

Magnavox TV chassis 36-02 \_\_\_\_\_TC Nov s

Montgomery Ward TV models WG-4225A,  
-4325A \_\_\_\_\_TC Feb s

Montgomery Ward TV models  
WG-5220A, -5226A, -5230A, -5320A,  
-5326A, -5330A \_\_\_\_\_TC Aug s

Motorola TV chassis TS-ST5 & WTS-435  
TC Feb s

Motorola TV chassis 436 series TC Aug s

Motorola TV chassis VTS-569  
PF Aug 3g

Motorola TV chassis WTS-435 PF May 2g

Motorola TV chassis WTS-436B (03)  
PF Dec 3g

Olympic TV chassis JWR \_\_\_\_\_TC Nov s

Olympic TV chassis KU \_\_\_\_\_PF Feb 2g

Packard-Bell TV chassis 88-9 \_\_\_\_\_TC Jan s

Packard-Bell TV chassis 98D10  
PF June 1g

Packard-Bell TV chassis 98D14, -14C  
TC Dec s

Philco TV chassis 11H25 & 11J27  
TC Jan s

Philco TV chassis 11N53 \_\_\_\_\_PF July 3g

Philco TV chassis 11N56 \_\_\_\_\_TC May s

Philco TV chassis 12J27 \_\_\_\_\_TC Dec s

Philco TV chassis 12N50 series TC Sept s

RCA TV chassis KCS 134 series TC Mar s

RCA TV chassis KCS 136 series TC Oct s

RCA TV chassis KCS136A \_\_\_\_\_PF June 2g

RCA TV chassis KCS 137, -138  
TC Aug s

RCA TV chassis KCS137P \_\_\_\_\_PF Dec 4g

RCA TV chassis CTC10 \_\_\_\_\_PF Feb 3g

RCA TV chassis CTC11A PF Aug 4g

Setchell-Carlson TV chassis, Model 159  
TC June s

Setchell-Carlson TV chassis 361  
PF June 3g

Setchell-Carlson TV chassis 361A  
TC Apr s

Setchell-Carlson TV chassis X159  
PF Jan 3g

Silvertone TV chassis 528.50356  
PF Jan 4g

Silvertone TV chassis 528.52422  
PF Dec 5g

Sony transistor TV model 8-301 TC Oct s

Sylvania TV chassis 1-537-5, -6 TC Jan s

Sylvania TV chassis 546-1 \_\_\_\_\_PF June 4g

Sylvania TV chassis 551-1, -2, -3, -5, -6, -7  
TC Dec s

Sylvania TV chassis 552-1, -2, -9  
TC July s

Sylvania TV chassis 555-01 \_\_\_\_\_PF Dec 6g

Travler TV chassis 1051-90 \_\_\_\_\_TC June s

Truetone TV model 2D3246 \_\_\_\_\_TC June s

Wells-Gardner TV models WG4224,  
WG4324 \_\_\_\_\_TC Apr s

Westinghouse TV chassis V-2384-15  
PF Sept 3g

Westinghouse TV chassis V-2409-1, -2, -3  
TC Mar s

Westinghouse TV chassis V-2411, -3  
TC May s

Westinghouse TV chassis V-2411-6  
PF May 3g

Westinghouse TV chassis V2414-1, -2  
TC Sept s

Zenith TV chassis 16F23, 16F23Q  
TC Feb s

Zenith TV chassis 16F23Q \_\_\_\_\_PF July 4g

Zenith TV chassis 16E24Q \_\_\_\_\_PF May 4g

Zenith TV chassis 16F28Q \_\_\_\_\_PF Feb 4g

Zenith TV chassis 17G28, -28Q  
TC Aug s

Zenith TV chassis 17G28Q \_\_\_\_\_PF Sept 4g

Zenith TV color chassis 29JC20 TC Nov s

Westinghouse transistor portable chassis  
V-2393-4 \_\_\_\_\_TC Dec s

Recorders

automatic tape switch \_\_\_\_\_EL Feb 70c

brakes & pressure pads \_\_\_\_\_RE Sept 58g

checking tape heads \_\_\_\_\_EW Jan 86g

- coupling circuit extends magnetic recorder response — E Mar 10 186g  
 directory of battery operated portables — TR July 26d  
 disengager for your — TR Dec 22c  
 do you need two? — TR Aug 23g  
 flexible-disk magnetic, development of — IRE Jan 164g  
 how to get the most from your tape — HR Nov 47g  
 level indicators & tape erasers — RE June 56g  
 recording head plays its part — RE July 78g  
 servicing tape — PF Mar 46g  
 sound-on-sound with your — TR June 18g  
 switching, electronic & mechanical — RE Aug 39g  
 tape accessories — EL May 56g  
 tape, 6l, designed for service — HR Mar 35g  
 testing tape — EW Dec 58g  
 transient, monitors power lines to protect circuits — E July 21 74g  
 understanding the tape oscillator — A Feb 28g  
 Webcor model 2207 — TC Dec s
- Recording**  
 a new model for magnetic — PGA Sept-Oct 139g  
 at the zoo — TR Aug 18g  
 away from home — TR July 22g  
 data, flutter in magnetic recording of — PGA Sept-Oct 159g  
 effect of bias amplitude on output at very short wavelengths — AES Apr 98g  
 F-M magnetic tape system records low-frequency nerve-fiber potentials — E July 14 66g  
 "Fidelimatic" tape system — A Oct 19c  
 high-density digital magnetic techniques — IRE Jan 258g  
 indispensable engineer — A May 36g  
 information storage density of magnetic — PGA Sept-Oct 174g  
 magnetic tape process in terms of Preisach representation — AES Jan 37g  
 magneto-optical readout of magnetic — E Sept 1 36g  
 mechanism of AC-biased magnetic — PGA Sept-Oct 155g  
 monitoring with the echo-master — TR Feb 18g  
 more about recording perspective — A July 28g  
 new approach to location techniques — MP Feb 96g  
 outside-coil magnetic head improves high-frequency — E June 30 89g  
 perspective of — A Apr 32g  
 phase equalization is important — EI Oct 98g
- practical aspects of high-fidelity disk — AES Jan 60g  
 radio show in Portugal — TR July 18g  
 selecting tape for home — HR Mar 52g  
 sine waves, analysis of — PGA Sept-Oct 146g  
 stage sound — A Mar 26g  
 standards — FN Dec 459g  
 system for frequency multiplication — PGA Sept-Oct 166g  
 tape, in industrial instrumentation — EW Apr 61g  
 tape travelogue — Yucatan, Mexico — TR Aug 24g  
 the piano — TR Nov 28g  
 visible magnetic — AES Apr 107g  
 your winter cruise — TR Oct 20g
- Rectifiers**  
 characteristics chart of new — SP Feb 56d  
 — SP Mar 66d — SP Apr 60d  
 — SP June 56d — SP Aug 49d  
 — SP Oct 50d  
 circuits, improving — E Apr 7 88g  
 controlled, produces quarter-megawatt pulse power — E June 23 54g  
 controlled, what are they — RE May 44g  
 'power-logic' with SCR's — ED Nov 22 46g  
 replacement guide — PF July 32g  
 silicon, design techniques — EI Mar 98g
- Regulators**  
 equations & procedure for designing transistor or Zener shunt — E June 30 92t  
 root-mean-square sensing in voltage — E Feb 17 133g  
 shunt D.C. nomographs — EI June 230d  
 transistorized, for auto alternator — EW Aug 58g
- Relays**  
 adjustment of the RTTY polar — CQ June 38g  
 and electronics — RE Nov 56g  
 delayed T-R — CQ Sept 30c  
 for industrial use — RE Aug 47g  
 how they work — RE June 43g  
 — RE July 54g  
 induction, & their uses — RE Dec 33g  
 make logic circuits — EW Aug 48g  
 sensitive electronic — EW Jan 62c  
 time adjustments in a sequenced change-over system — QST Jan 40g  
 unusual circuits — RE Oct 96g  
 using, in industry — TC June 42g  
 voltage-to-digits conversion with — E Jan 13 96g
- Reliability**  
 analysis of long established program — ED Sept 27 52g  
 connectors & galvanic corrosion — EI Dec 112g  
 group, its organization & responsibilities — ED Sept 27 54g



Military Standards & specifications on  
 parts specifications management for  
 ED Sept 27 34g  
 space-age requirement \_\_\_\_\_ EW Dec 38g  
 testing & its application to TACAN-AGREE  
 program \_\_\_\_\_ ED Sept 27 38g  
 variation research \_\_\_\_\_ ED Sept 27 60g  
 what price? \_\_\_\_\_ EI Sept 142g

Resins for imbedding electronic packaging  
 E Feb 17 130g

Resistance, negative, what it is & how it's used  
 EW May 56g

Resistors  
 fabricating thin-film \_\_\_\_\_ E Apr 7 78g  
 negative synthesis with negative  
 IRE May 907g

Reverberation  
 artificial \_\_\_\_\_ A Apr 28g  
 artificial facilities for auditoriums &  
 audio systems \_\_\_\_\_ AES July 198g  
 MP Oct 809g  
 chambers, diffuseness in \_\_\_\_\_ AS Dec 1687g  
 'colorless' artificial \_\_\_\_\_ AES July 192g  
 enhances your hi-fi audio \_\_\_\_\_ RE Dec 36g  
 improved quasi- stereophony & colorless  
 artificial \_\_\_\_\_ AS Aug 1061g  
 in principle & practice \_\_\_\_\_ EW Jan 44g  
 latest in hi-fi \_\_\_\_\_ PF Jan 38g  
 new sound of hi-fi \_\_\_\_\_ TC Mar 40g  
 system for home entertainment equipment  
 AES July 187g  
 underwater sound \_\_\_\_\_ AS July 881g

Rise-Time measurements nomographs  
 ED Jan 18 46d

## S

Satellites  
 active \_\_\_\_\_ WW Feb 52g  
 beacon transmitters & power supply for  
 ECHO 1 \_\_\_\_\_ RCA Mar 147g  
 collecting data from live missiles in flight  
 E Mar 24 46g  
 direction finder helps recover Discoverer  
 capsule \_\_\_\_\_ E Mar 3 42g  
 flashing light system for \_\_\_\_\_ EI Apr 94g  
 instrumentation & telemetry of transit  
 navigational \_\_\_\_\_ E Aug 11 148g  
 missile computer has 'self-checking'  
 capability \_\_\_\_\_ EI July 100g  
 modern acoustic missile launch locator.  
 the AN/TNS-5 \_\_\_\_\_ AES July 208g  
 orbiting spectrometer plots solar X-rays  
 E Oct 27 55g  
 power supply for the TIROS 1  
 meteorological \_\_\_\_\_ RCA Mar 131g  
 rugged arming-fuzing timer for atomic  
 artillery \_\_\_\_\_ E Sept 22 48g  
 tracking \_\_\_\_\_ WW Mar 134g  
 tracking station in Britain \_\_\_\_\_ EE Mar 160g

uses of new \_\_\_\_\_ EW Mar 54g

Self-organizing systems, review & commentary  
 IRE Jan 31g

Semiconductors  
 bibliography \_\_\_\_\_ SP Jan 45d  
 SP Feb 51d  
 SP Mar 60d  
 SP Apr 55d  
 SP May 54d  
 SP June 52d  
 SP July 35d  
 SP Aug 44d  
 SP Sept 38d  
 SP Oct 46d  
 SP Nov 36d  
 SP Dec 43d

develop practical Hall effect devices with  
 EI May 88g

diodes \_\_\_\_\_ E Sept 29 95g

effects of heat treatment on diffused  
 silicon material \_\_\_\_\_ SP Sept 19g

field effect devices, the tectron & alcatron  
 WW May 238g

field effect tetrode \_\_\_\_\_ IRE July 1170g

Fourier analyzer uses Hall Effect  
 EI Sept 108g

functional blocks perform multiplication  
 & division \_\_\_\_\_ E Dec 29 40g

gold alloying to germanium, silicon &  
 aluminum-silicon eutectic surfaces  
 SP July 29g

hot probe measures thermoelectric power  
 E Dec 8 61g

low-voltage stabilizer using WW Sept 479g

majority-carrier amplifiers \_\_\_\_\_ E Sept 29 120g

materials \_\_\_\_\_ E Sept 29 92g

materials for thermoelectric power  
 generation \_\_\_\_\_ RCA Mar 82g

measuring junction capacitance  
 E Mar 24 50g

method of measuring the volume  
 resistivity of material \_\_\_\_\_ SP June 43g

microcircuits \_\_\_\_\_ E Sept 29 117g

new techniques for producing ultrapure  
 E July 7 41g

observations on device reliability SP Apr 48g

properties of Hall effect multipliers  
 SP June 32g

rectifiers \_\_\_\_\_ E Sept 29 100g

rectifiers, characteristics & how to use  
 them \_\_\_\_\_ QST July 32g

replacement guide \_\_\_\_\_ EI June 151d

technology of pulling single crystals  
 SP Nov 25g

thermoelectric elements for circuit cooling  
 of \_\_\_\_\_ E Oct 13 54g

transistors \_\_\_\_\_ E Sept 29 103g

ultramicroanalysis of \_\_\_\_\_ EI Dec 109g

up-to-date look at power load current  
 ratings \_\_\_\_\_ SP Dec 19g

what's new in, introduction \_\_\_\_\_ E Sept 29 90g

Servicing  
 accurate peak AC measurements  
 EW Jan 66g

- air conditioner repairs made easy  
PF June 24g
- aligning wide-band VHF amplifiers  
RE Mar 50g
- bench designs \_\_\_\_\_ PF Sept 28g
- bench view of transistor radio defects  
TC Sept 32g
- blast those TV intermittents \_\_\_\_\_ PF Oct 26g
- bout with a color set \_\_\_\_\_ PF Nov 32g
- breaking the commercial sound barrier  
PF June 22g
- calibrate your RF signal generators  
RE Aug 64g
- case histories of color TV troubles  
PF Nov 76g
- choosing a transistor test instrument for  
TC June 40g
- choosing a vehicle for TV servicing  
TC June 38g
- choosing the right test probe for your  
scope or VTVM \_\_\_\_\_ TC Dec 46g
- chroma bandpass & demodulator circuits  
PF Nov 26g
- circuit substitution speeds transistor radio  
RE Jan 85g
- circuit voltages tell the story \_\_\_\_\_ PF Dec 32g
- color in the home \_\_\_\_\_ PF Nov 36g
- color TV service today \_\_\_\_\_ EW Apr 29g
- converging the new color sets \_\_\_\_\_ PF Jan 32g
- developing your home call techniques  
PF Sept 64g
- don't be afraid of color TV \_\_\_\_\_ RE Nov 35g
- don't forget the antenna \_\_\_\_\_ RE June 34g
- don't let the tuner throw you \_\_\_\_\_ RE Aug 30g
- electro-medical equipment \_\_\_\_\_ TC Mar 44g
- electronic depth finders \_\_\_\_\_ PF June 26g
- electronic photoflash equipment  
PF Feb 44g
- electronic watch repair \_\_\_\_\_ RE May 42g
- eliminating TV buzz \_\_\_\_\_ PF June 30g
- excessive AGC leads to wild goose chase  
PF Jan 28g
- fixing small radios \_\_\_\_\_ PF Feb 28g
- FM Stereo & the serviceman \_\_\_\_\_ PF Dec 38g
- full value from your scope \_\_\_\_\_ RE Dec 58g
- fuses & fuseholders, new look in  
EW Feb 60g
- getting the most from your scope  
PF Apr 1g
- getting the most from your VTVM  
PF Apr 32g
- GM radios for 1961 \_\_\_\_\_ EW May 34g
- handling IF transformer troubles  
PF Dec 26g
- hand-wired chassis soldering problems  
TC Feb 42g
- have raster, no pix \_\_\_\_\_ PF Jan 62g
- high fidelity \_\_\_\_\_ HF July 29g
- home-call TV diagnosis \_\_\_\_\_ EW Apr 33g
- how to correct TV sync instability  
TC Nov 34g
- how to diagnose TV picture hum symptoms  
TC Dec 40g
- how to measure hi-fi distortion \_\_\_\_\_ TC Apr 46g
- how to repair pesky TV tuner defects  
TC Aug 47g
- how to repair radios  
circuit theory \_\_\_\_\_ EL Feb 36g
- low volume, noise, distortion &  
intermittent reception \_\_\_\_\_ EL May 84g
- troubleshooting a 5 tube superhet  
EL Mar 55g EL Apr 52g
- how to substitute unavailable TV parts  
TC Mar 34g
- hum elimination in scopes \_\_\_\_\_ EW July 46g
- imported transistor portables \_\_\_\_\_ PF July 24g
- in circuit transistor testing \_\_\_\_\_ RE Sept 66g
- industry votes on TV licensing \_\_\_\_\_ TC Jan 32g
- installing & servicing home  
air-conditioners \_\_\_\_\_ TC July 38g
- installing Citizen Band radios \_\_\_\_\_ TC Jan 38g
- isolating chroma troubles by symptoms  
PF Nov 28g
- locating elusive TV filter problems  
TC Sept 38g
- measure D.C. with your scope \_\_\_\_\_ EW June 42g
- misconceptions in TV \_\_\_\_\_ TC Feb 34g
- modernize your tube checker \_\_\_\_\_ TC Mar 37g
- new life for your record changer  
EL Feb 67g
- noise inverters in action \_\_\_\_\_ PF May 32g
- operation vertical \_\_\_\_\_ PF Jan 34g
- PF Feb 24g
- overcoming coloritis \_\_\_\_\_ PF Mar 22g
- packaged circuit problems \_\_\_\_\_ EW Jan 41g
- painless TV alignment \_\_\_\_\_ PF Oct 32g
- pinpointing yoke & flyback troubles  
PF May 39g
- pitfalls of meter readings \_\_\_\_\_ PF Apr 48g
- recovering from the "bends" \_\_\_\_\_ PF Mar 18g
- remedy for noisy 1960 Mercury auto radios  
TC July 37c
- repairing small appliances \_\_\_\_\_ PF Aug 30g
- replacing components in transistor radios  
TC Nov 44c
- resistance substitutor \_\_\_\_\_ EW Feb 57g
- 'scope in electronics \_\_\_\_\_ RE Aug 70g
- secret signals on your TV screen  
RE Nov 87g
- secret source of low B plus \_\_\_\_\_ PF Mar 28g
- selecting a CRT replacement \_\_\_\_\_ PF May 22g
- service aids for transistor radios  
RE June 53g
- service dealer & the CB market  
PF May 30g
- service vehicles, buy or lease? \_\_\_\_\_ PF Oct 44g
- shadowing a shadow \_\_\_\_\_ PF July 34g
- simple sync servicing \_\_\_\_\_ EW Dec 40g

small appliances, toasters .....EW May 70g  
smoothing out the 'pie crust' effect  
PF Oct 40g  
snowed under by an RCA KC868C  
PF Feb 26g  
solving slow warm-up problems  
PF Aug 22g  
special analyzers for TV troubleshooting  
PF Apr 22g  
speed checking I.F. systems .....EW May 38g  
speed up tube testing with a filament  
warmer .....TC Oct 40c  
stacked-B circuits .....RE May 69g  
stop horizontal oscillator drift RE Oct 50g  
stop noise in mobile radios .....RE Aug 36g  
symbols for symptoms .....EW Jan 48g  
sync separators & clippers .....RE Feb 86g  
synchros & servo systems .....PF Jan 36g  
tape-recorder oscillators .....EW Nov 58g  
tape recorders .....PF Mar 46g  
RE May 47g  
test equipment for audio .....PF Sept 26g  
test setups for servicing 2-way radio  
PF Dec 42g  
track down that visible hum .....PF Sept 40g  
transistor radio "dogs", guide to  
TC Jan 34g  
transistor radios .....TC June 44g  
transistorized hearing aids .....TC Feb 30 g  
troubleshooting audio power amplifiers  
TC Oct 38g  
troubleshooting diode AFC systems  
PF Dec 66g  
troubleshooting marine radio transmitters  
TC May 38g  
troubleshooting power supplies with a scope  
RE Apr 48g  
troubleshooting the sweep generator  
RE July 39g  
troubleshooting TV AGC circuits  
TC Mar 42g  
TV analyst simplifies servicing  
RE July 34g  
TV low voltage power supply problems  
TC July 44g  
TV remote controls .....TC Jan 36g  
TV tuner care & repair .....RE July 51g  
TV video problems .....TC Oct 36g  
TV wireless remotes .....PF June 20g  
UHF-TV tuner installation, it's a snap  
TC June 32g  
UHF TV tuners .....TC May 40g  
understanding color sync .....PF Nov 46g  
understanding transistor testers .....PF Jan 24g  
using picture-tube brighteners RE Apr 67g  
using tube tester to advantage PF Sept 50g  
variable line-voltage isolator .....EW Jan 93c  
vertical foldover problems .....RE Sept 54g  
wattmeter for TV .....PF Apr 44g

what's new in color TV? .....PF Nov 34g  
where did the boost go? .....PF Aug 32g  
where did the gain go to? .....EW Jan 42g  
wireless intercoms .....RE June 50g  
yoke trouble plus .....PF Sept 30g  
Servomechanisms  
can be designed corner by corner  
ED May 24 32g  
design of large .....ED Sept 13 54g  
high speed DC - AC drive unit  
EE Apr 213g  
one solution to hunting .....EI Jan 92g  
SideBand  
a careful look at .....CQ Sept 52g  
an S.S.B. product-detector adapter  
QST Aug 22g  
compact high-power linear .....QST June 11c  
compatible single .....IRE Oct 1503g  
crystal filter type exciter .....CQ Nov 32c  
50 Mc. S.S.B. converter-transmitter  
CQ July 46c  
9 Mc. filter generator .....CQ July 38c  
possible uses for single sideband signals  
in formant-tracking systems  
AS Aug 1067g  
R-T coupler, Model II .....CQ Oct 35g  
simple S.S.B. exciter .....CQ Oct 58c  
suppressed carrier double-sideband systems  
WW May 242g  
Silicon Solar Cells  
generalization .....EW Dec 33g  
tapping power from the sun ED Feb 15 68g  
Slide-rule accuracy, five techniques for  
improving .....ED Jan 18 42g  
Solid-State  
bibliography .....SP Jan 45d  
SP Feb 51d SP Mar 60d SP Apr 55d  
SP May 54d SP June 52d SP July 35d  
SP Aug 44d  
DC amplifier with floating input & low  
drift .....EE Sept 592g  
designing commutators for .....EI May 92g  
designing synchros for, with Hall-effect  
components .....E Sept 8 59g  
devices for electromechanical applications  
E Sept 29 144g  
ferroelectric scanning of electroluminescent  
displays .....RCA Mar 195g  
I.F. transformer .....EW Oct 64g  
IRE standards, definition of terms  
IRE Aug 1279d  
IRE standards on measurements of  
minority-carrier lifetime IRE Aug 1292d  
modulators for infrared communications  
E Mar 10 177g  
parallel-mode scanner reads system  
physical parameters .....E May 12 78g  
proportional control temperature servos can  
be simpler, better .....ED Mar 15 56g



- common-bass stereo speaker system  
A Nov 19c
- convert to \_\_\_\_\_ RE Oct 46g
- dimension control for \_\_\_\_\_ EW Apr 56g
- does FM stereo follow its own theory  
RE Oct 59g
- dual 35-watt amplifier for \_\_\_\_\_ EW Mar 29g
- effect of system parameters on AES Jan 7g
- filters for FM-Stereo \_\_\_\_\_ A Aug 26g
- five dream systems for \_\_\_\_\_ HR Feb 37g
- FM, the General Electric system A June 24g
- FM multiplex \_\_\_\_\_ A June 18g
- FM multiplex adapter circuits EW Oct 40g
- EW Dec 37g
- FM multiplex adaptor \_\_\_\_\_ A June 21g
- FM multiplex system \_\_\_\_\_ EW July 51g
- FM stereo multiplex, how it works  
HR July 48g
- FM-Stereo, product detector for  
A Aug 23g
- FM-Stereo, time-division approach  
A Aug 20g
- headphone adaptor \_\_\_\_\_ EL Sept 32c
- hi-fi installation methods \_\_\_\_\_ TC Sept 97g
- high quality stereo mixer \_\_\_\_\_ FN July 98c
- how stereo components work \_\_\_\_\_ TC Sept 78g
- laboratory report on cartridges HR Oct 52g
- Lafayette Model KT-236 amplifier TC Jan 5
- listening to stereo with headphones  
EW Nov 48g
- low-cost amplifier for \_\_\_\_\_ WW Apr 185g
- low-cost speakers for \_\_\_\_\_ PE Apr 80g
- misconceptions \_\_\_\_\_ A Sept 38g
- modifying an F-M transmitter for  
multiplex \_\_\_\_\_ E July 14 60g
- multiplex adapters for compatible F-M  
stereo reception \_\_\_\_\_ E Aug 18 45g
- phasing the stereo system \_\_\_\_\_ EW Nov 52g
- phasor analysis of stereophonic phenomena  
AS Nov 1536g
- quality amplifier for \_\_\_\_\_ RE May 35c
- rumble filters for, their design & use  
EW May 40g
- signal sampling for FM stereo \_\_\_\_\_ A Dec 22g
- single compactron adapts receiver for  
E Oct 27 62g
- special report on FM stereo \_\_\_\_\_ RE Aug 57g
- stereo FM from your own tuner  
RE Aug 26g
- subjective evaluation of factors effecting  
two-channel \_\_\_\_\_ AES Jan 19g
- synchronous oscillator FM-Stereo adapter  
A July 25g
- tape decks for \_\_\_\_\_ PE May 48g
- technical view of FM multiplex  
TC Sept 89g
- testing made easy \_\_\_\_\_ PE Oct 70c
- to phase or not to phase \_\_\_\_\_ A July 32g
- replacing sine wave sources with inverters  
E June 30 80g
- signal sentry, monitoring & alarm system  
EE June 344g
- signal source for 144, 432 & 1296MC  
CQ May 32c
- silicon trinitor, a high-power N-P-N-P  
triode switch \_\_\_\_\_ SP Apr 42g
- 30-channel multiplexer designed for  
minimum components \_\_\_\_\_ E Oct 6 77g
- Solids**  
measuring ultrasonic velocities in  
AS Jan 12g
- Sonar**  
how it works \_\_\_\_\_ RE Oct 34g
- new thumper charts ocean subbottom  
E Feb 3 56g
- portable, for frogmen \_\_\_\_\_ E Dec 29 37g
- transmits through ice & water to survey  
Arctic Ocean shelf \_\_\_\_\_ E Aug 4 44g
- Sound**  
synthesizer creates new musical effects  
E Dec 1 33g
- Space**  
& missile electronics \_\_\_\_\_ E Nov 17 87g
- data acquisition & transmission  
E Nov 17 100g
- guidance & control \_\_\_\_\_ E Nov 17 94g
- missile & space plans \_\_\_\_\_ E Nov 17 88g
- navigation system using cross-correlation  
detection techniques \_\_\_\_\_ E Dec 15 55g
- parametric amplifier for probe tracking  
E Jan 27 41g
- propulsion & power generation  
E Nov 17 105g
- standard frequency stations \_\_\_\_\_ EI June 439g
- Spectrum Analysis**  
high resolution spectrum analyzer  
CQ Oct 24g
- modulated signal \_\_\_\_\_ CQ Aug 34g
- spectrum analyzer displays \_\_\_\_\_ CQ Sept 32g
- Speech**  
analysis by synthesis \_\_\_\_\_ AS Dec 1725g
- hearing aids for deaf children FN June 31g
- methods of measuring vowel formant  
bandwidths \_\_\_\_\_ AS Dec 1737g
- Standards**  
new electronic \_\_\_\_\_ EI June 51d
- problems in standardization \_\_\_\_\_ WW Aug 400g
- Stereophony**  
adding a center speaker for \_\_\_\_\_ EW Aug 40g
- build a quality stereo preamp RE Oct 54c
- build an FM stereo multiplex adapter  
RE Dec 30c
- center speaker for \_\_\_\_\_ TC May 36g
- circuits for stereo FM adaptors EI Nov 44g
- clear road for FM stereo \_\_\_\_\_ RE July 26g
- comments on new stereo developments  
TC Sept 101g

## Switches

coaxial, performance of .....QST Aug 39g  
cryosistor-a field-effect controlled impact  
ionization switch .....IRE Nov 1616g  
design of a high-speed diode

ED Aug 30 106g

electrically operated .....EW Dec 52g  
high speed microwave .....E July 7 60g  
zigzag-line couplers transfer microwave  
power .....E July 14 58g

## Switching

drawings show logic .....EI July 103g  
mono to stereo, to stereo plus center  
A Sept 50g

## Systems engineering

designing for low level inputs .....EI Jan 81g

## T

### Tape

accessories .....HF June 40g  
complete directory of .....TR June 27d  
copying — home style .....A Dec 35g  
creative editing .....HR Mar 56g  
duplicating systems for Talking Book  
Program .....AES Apr 102g  
experiments on magnetic, readout with  
electron beam .....IRE Feb 498g  
four-channel stereo adds depth to

EW May 29g

four track systems .....EW Mar 39g  
EW Apr 58g

how to buy .....TR May 26g

how to organize a club for .....TR Feb 22g

improved synchronizing system using  
magnetic .....MP June 426g

improving magnetic recording FN Feb 643g  
FN Mar 707g FN Apr 780g FN May 857g

indexing nomograph .....A Jan 22d

magic medium .....HF Sept 59g

noise characteristics in .....A Feb 26g

potpurri of indexing .....TR Aug 29g

questions & answers .....A May 30g

quick-easy editing .....TR May 16g

selecting a machine for .....EW Sept 62g

selection & storage of .....TR July 30g

story of magnetic .....TR Feb 16g

TR Mar 24g

synchronize your slides with .....TR Jan 16g

teaching by .....TR May 20g

Teflon, designing with .....EI Sept 116g

### Telemetry

analog equipment & systems .....EE Jan 16g  
EE Feb 77g

frequency conversion technique improves  
system .....E Mar 10 189g

guide to selecting telemetering commutators  
ED Mar 29 40g

hybrid telemeter detects avalanches  
E Dec 15 72g

pulse commutator simulator uses

magnetic logic elements .....E Mar 24 43g

pulse-duration, for lower atmosphere

research .....E Sept 29 132g

snow-gage systems use radioactive source

E Sept 22 52g

### Teletype

W5BGP teletype terminal unit CQ Oct 44g

### Television

audio scoring, dubbing & transfer

banana-tube color display .....WW July 351g

beam-indexing tubes for .....WW Jan 2g

broadcasting closed circuit & via public  
transmission channels .....AES July 225g

closer look at color TV controls

TC Aug 32g

color, in the United States .....WW July 358g

commercial killer .....EL July 80c

commercial silencer .....EW Apr 48c

controlling burst in color-B & W

EI Mar 268g

converging the new color sets .....PF Jan 32g

converter produces television bar display

E Nov 3 45g

designs for '61 .....RE Jan 42g

fundamentals of the color TV system

PF Nov 1g

headset system provides remote surveillance

E Nov 10 86g

highlights of 1962 TV lines .....PF Oct 1g

interpreting test patterns .....PE June 59g

IRE standards on video techniques

IRE July 1193d

making colors electronically .....EW Apr 43g

modifying vidicon camera chain for

slow-scan systems .....E June 9 101g

new designs for '61 .....EW Feb 34g

new horizontal oscillator for EW Sept 57g

optimum band shape for I.F. amplifier

RCA June 245g

overcoming coloritis .....PF Mar 22g

recovering from the "bends" .....PF Mar 18g

remote uses one tube .....RE Feb 56g

scanner analyzes color content of movie

film .....E Dec 1 38g

solid state diodes in .....PF Jan 26g

sound interrupter has only four parts

RE Aug 34c

subscription .....WW Nov 552g

techniques used in video-tape productions

MP June 419g

transistor tuners for .....RE Apr 44g

RE May 37g

translators bring new TV horizons

PF Aug 26g

United Kingdom links .....WW June 323g

what's new in color? .....PF Nov 34g

### Test equipment

audio check .....EW Jan 56c

- automatic .....ED Dec 20 32g  
 design of automatic .....EI Jan 76g  
 for color TV .....PF Nov 30g  
 how to select .....PF Apr 26g  
 industrial, is it different? .....RE Oct 63g  
 intermodulation distortion meter employing  
 the Hall effect .....PGA Mar-Apr 44g  
 measuring phase with transistor flip-flops  
 E Sept 22 56g  
 100c/s counter for registering small time  
 intervals .....EE Sept 582g  
 practical measurement frontiers  
 ED Mar 1 64g  
 simple transistor tester uses lamp for  
 indicator .....E Sept 8 80g  
 using communications .....PF Apr 30g
- Test Instruments**  
 about those super scopes .....RE Mar 68g  
 AC transistorized voltmeter .....PE Sept 72c  
 audio generator, 'trans-select' EW Nov 46c  
 billion ohm continuity checker RE May 66g  
 build a calibrator for your scope  
 RE July 68c  
 build this tunnel-diode dip meter  
 RE Apr 42c  
 build 2 transistor direct reading  
 capacitance meter .....RE June 31c  
 calibration standards for the V.O.M.  
 EW Oct 51g  
 expanded-range voltmeter reads RMS  
 EW Feb 41g  
 expanded scale voltmeter .....PE Aug 51c  
 field strength meter, transistorized  
 EL Sept 38c  
 fixed-frequency signal generator  
 PE July 76c  
 FM sweep alignment unit .....A Oct 42c  
 full value from your voltmeter  
 RE Sept 41g  
 getting the most from your VTVM  
 PF Apr 32g  
 high-speed automatic diode tester  
 E Jan 13 93g  
 how to repair your own oscilloscope  
 TC Sept 34g  
 is your multimeter accurate? .....EW Feb 32g  
 low frequency feedback A.C. tube  
 millivoltmeter .....EE Oct 666g  
 low-priced transistor testers TC July 32g  
 modernize your tube checker TC Mar 37g  
 monitor meter .....PF Sept 53c  
 outboard VU meter .....EW June 54c  
 portable tuning fork standard  
 WW Aug 431c  
 power regulator for BWO sweep generators  
 EI Feb 112g  
 R-C bridges, operation & repair EW Jan 50g  
 RF signal generator covers marine bands  
 RE Oct 56c
- sensitive field strength meter PE July 51c  
 simple electronic engine analyzer  
 EW Apr 38c  
 simple square-wave generator .....EW July 54c  
 square-wave generator .....PE Feb 68g  
 strobo instrument tunes organs RE Feb 42g  
 survey of cathode ray oscilloscopes  
 EI Oct 120d  
 sweep circuit test analyzers .....TC Apr 32g  
 T patch, improved sensitivity for G.D.O.  
 wavemeter circuits .....QST May 34c  
 tips on tuning-eye VTVMs .....EW Feb 66g  
 top chassis horizontal sweep analyzer  
 RE Feb 34c  
 transistor signal generator .....WW Feb 67g  
 transistor frequency standard EW Sept 36c  
 transistorized auditory 'grid-dip meter'  
 QST Aug 36c  
 transistorized megohmmeter .....EW May 52g  
 transistorized portable scope .....RE Jan 55g  
 transistorized RF signal generator  
 EL Apr 45g  
 transistorized tachometer .....EW June 59c  
 TV sweep circuit analyzers .....TC May 32g  
 understanding transistor testers PF Jan 24g  
 universal workshop tester .....PE July 57c  
 versatile crystal controlled frequency  
 source .....CQ Oct 33c  
 versatile impedance checker .....EW Jan 33g  
 voltage controlled wide-range oscillator  
 E Dec 22 31g  
 VTVM adapter for multimeters  
 PE July 54c  
 wideband VTVM .....RE Mar 40c  
 wide-range inductance meter EW May 45c  
 wobblulating sweep generator RE Mar 74c  
 wobblulator for filter alignment  
 CQ Jan 44c  
 Zener diode voltage calibrator RE Dec 56c
- Theory**  
 general relativity for the experimentalist  
 IRE May 892g
- Thermistors**  
 using as servo elements .....E Feb 3 52g
- Thermoelectricity**  
 coming breakthrough in .....EW July 39g  
 new concepts in device design  
 IRE July 1155g
- Thin Films**  
 survey of technology .....EI Sept 92g  
 EI Oct 102g
- Time delay**  
 electrically variable, using cascaded drift  
 transistors .....SP Mar 37g  
 precise delay measurement E Jan 13 102g
- Timing, master unit for** .....EE Nov 700g
- Traffic**  
 air, terminal controller computes &  
 sends instructions .....E May 26 47g



- automobile parking, market for ultrasonics  
 & computers \_\_\_\_\_ E Jan 27 18g  
 electronic control of \_\_\_\_\_ E Jan 6 109g  
 radio, radar & computers help control  
 highway \_\_\_\_\_ E Jan 27 22g
- Transceivers**  
 all-transistor walkie-talkie for 28 Mc  
 \_\_\_\_\_ QST Apr 36c  
 CB, from car radio \_\_\_\_\_ RE July 48c  
 CB rig goes "ham" \_\_\_\_\_ PE June 64c  
 converting the Globe "Pocketphone" to  
 10 meters \_\_\_\_\_ CQ Sept 55c  
 guide to low-power CB \_\_\_\_\_ RE Sept 52g  
 hand-held CB transmitter-receiver  
 \_\_\_\_\_ EW Mar 47c  
 handi-talkie covers 10 meter band  
 \_\_\_\_\_ RE Jan 51c  
 improving the Link 2365 & 2210  
 \_\_\_\_\_ CQ Nov 40c  
 75 meter S.S.B. \_\_\_\_\_ QST Apr 24c  
 "simple-talkie" \_\_\_\_\_ EW Sept 50c  
 speech clipper for CB \_\_\_\_\_ EW Apr 32c  
 versatile 10 meter portable rig CQ Mar 27c
- Transducers**  
 alloys for magnetostrictive \_\_\_\_\_ AS July 930g  
 designing a lightweight vibration  
 \_\_\_\_\_ EI Jan 100g \_\_\_\_\_ EI Feb 120g  
 mechanical sound \_\_\_\_\_ AS July 933g  
 performance of a piezoelectric AS Apr 527g  
 reciprocity calibration of \_\_\_\_\_ AS Dec 1712g
- Transformers**  
 calculating coupling coefficients  
 \_\_\_\_\_ E Mar 24 52d  
 ceramic I. F. \_\_\_\_\_ WW May 253g  
 design, determination of core size in pulse  
 \_\_\_\_\_ EE Sept 566g  
 iron-cored coupling \_\_\_\_\_ WW Jan 39g
- Transistors**  
 a feel for \_\_\_\_\_ A Oct 35g  
 alloy-diffused \_\_\_\_\_ EE Feb 88g  
 as a temperature-sensing device in  
 temperature control systems EE June 360g  
 bias circuit design \_\_\_\_\_ EW Nov 42g  
 breakdown voltage in power \_\_\_\_\_ SP Nov 21g  
 calculating 'worst-case' leakage current  
 \_\_\_\_\_ E Oct 6 74g  
 characteristics chart of new \_\_\_\_\_ SP Jan 50d  
 \_\_\_\_\_ SP Mar 64d \_\_\_\_\_ SP May 60d  
 \_\_\_\_\_ SP July 40d \_\_\_\_\_ SP Sept 45d  
 charting the way for replacements  
 \_\_\_\_\_ PF Aug 24g  
 collector coupled complementary pair  
 \_\_\_\_\_ EE Aug 526g  
 computer-derived curves simplify circuit  
 design \_\_\_\_\_ E Nov 3 48g  
 constant temperature enclosure for  
 \_\_\_\_\_ EE July 452g  
 cooling, with beryllia heat sinks  
 \_\_\_\_\_ E May 5 76g
- cooling, with thermoelectric elements  
 \_\_\_\_\_ E Mar 31 43g  
 data chart \_\_\_\_\_ ED July 5 33d  
 data sheets, what they mean & how to  
 use them properly \_\_\_\_\_ ED July 5 74g  
 design considerations for low noise input  
 stages \_\_\_\_\_ ED Sept 13 48g  
 determining permissible dissipation for  
 silicon power \_\_\_\_\_ ED Aug 16 44g  
 digital control uses unijunction  
 \_\_\_\_\_ E May 5 79g  
 domestic replacements for imported  
 \_\_\_\_\_ EW Sept 58d  
 electrical representation of the drift type  
 \_\_\_\_\_ SP Mar 41g  
 epitaxial process improves characteristics of  
 \_\_\_\_\_ E Mar 3 52g  
 handy tester for \_\_\_\_\_ CQ Dec 41c  
 high-speed logic using low-cost Mesa  
 \_\_\_\_\_ SP Apr 31g  
 in hi-fi \_\_\_\_\_ PE July 65g  
 in two-way radio \_\_\_\_\_ EW Aug 53g  
 \_\_\_\_\_ EW Sept 47g  
 interchangeability chart \_\_\_\_\_ EI June 199g  
 internal parameters for small-signal  
 representation \_\_\_\_\_ IRE Apr 725g  
 interpreting noise performance  
 \_\_\_\_\_ EI Oct 109g  
 introduction to the avalanche \_\_\_\_\_ SP July 24g  
 junction, analysis for circuitry EI Dec 128g  
 just how critical is their operation?  
 \_\_\_\_\_ TC Dec 38g  
 listing of military approved \_\_\_\_\_ ED July 5 82d  
 log-log presentation of characteristics of  
 \_\_\_\_\_ E Oct 6 82g  
 magnetic fields vary gain of \_\_\_\_\_ E Feb 3 68g  
 measurements \_\_\_\_\_ WW July 371g  
 \_\_\_\_\_ WW Aug 415g  
 measuring parameters by power transistor  
 pulse techniques \_\_\_\_\_ E Jan 6 120g  
 new, has gain of 30,000 \_\_\_\_\_ RE June 59g  
 new semiconductor tetrode-the  
 surface-potential controlled  
 \_\_\_\_\_ IRE Nov 1623g  
 noise \_\_\_\_\_ WW Jan 31g  
 operation of, in the avalanche mode  
 \_\_\_\_\_ EE Aug 511g  
 paralleling \_\_\_\_\_ WW Dec 630g  
 parameters, definitions & inter-relationships  
 \_\_\_\_\_ WW June 293g  
 parametric amplification with  
 \_\_\_\_\_ WW Oct 498g  
 practical hamshack application of  
 \_\_\_\_\_ QST Dec 49g  
 protector for \_\_\_\_\_ A Dec 38g  
 recommended for use in SigCorps  
 developmental equipment ED Apr 12 44d  
 ring counter uses \_\_\_\_\_ E Jan 27 49g  
 rise time for medium power EI June 228g



new ideas in design ..... PF Sept 24g  
 new receiving & special purpose  
     EI June 91d  
 new results in frequency multiplication  
     RCA Mar 162g  
 new television camera, in perspective  
     MP Dec 979g  
 noise properties of beam switching  
     EI July 96g  
 one compaction — three circuits  
     EW July 43g  
 selecting a CRT replacement ..... PF May 22g  
 stock guide for TV ..... PF May 34d  
     PF Oct 28d  
 super-power U.H.F. .... EW Oct 37g  
 synch separators & clippers ..... RE Mar 89g  
 3-400Z & 3-1000Z for amateur service  
     CQ June 56g  
 thyatron monitors line-voltage dips  
     E Jan 6 126g  
 transmitting, how to use & abuse  
     CQ Nov 53g      CQ Dec 32g  
 understanding "magic-eyes" ..... TC Jan 30g  
 understanding tetrode screen current  
     QST July 26g  
 using picture-tube brighteners ..... RE Apr 67g

**Tuners**  
 accurate alignment of hi-fi FM RE Oct 73g  
 add interstation muting to FM EL Feb 74c  
 Brimar FM tuner ..... FN Nov 370c  
     FN Dec 447c  
 build an F-M, for your car ..... EL July 29c  
 crystal controlled FM ..... FN Oct 303c  
 FM, alignment ..... HF Dec 59g  
 high quality T.R.F. AM ..... EW Apr 36c  
 how to get the most from your  
     HR Sept 55g  
 how to select an FM ..... EW Aug 50g  
 practical alignment of hi-fi FM  
     RE Sept 61g  
 Sherwood FM Stereo tuner model S-3000 III  
     TC Jan 3  
 simple high quality AM ..... FN Feb 635c  
 special report on FM kits ..... EI Nov 29g  
 strip transmission line, design notes for  
     EI Mar 104g  
 TV, repair or replace? ..... PF Sept 32g  
 U.H.F. nuvisor ..... EW Dec 60c  
 unique circuits in FM ..... RE July 44g

what to look for in FM ..... HR Jan 41g  
 Zenith gold video guard ..... TC Mar 3  
**Turntables**  
 kits grow up — BIG ..... PE Dec 51g  
 manual & semi-automatic ..... EW Feb 45g

## U

**Ultrasonics**  
 brain surgery by ..... EL Feb 56g  
 controls air conditioner ..... RE July 46c  
 equipment in industry ..... E Jan 27 52g  
 frequency responder aids blind  
     E Oct 27 48g  
 measures flow velocity of rivers  
     E Oct 13 56g  
 successes of silent sound ..... PE Dec 41g

## V

**Varistors**  
 use of, to suppress relay sparking  
     E Jan 20 68g  
 Voltage dividers made easy ..... EW Mar 42g  
 Voltage stabilizer, an improved EE May 308g

## W

**Waveguides**  
 array steering in a layered ..... AS July 865g  
 design of pressurized, with ribs  
     ED Mar 15 164g  
 determining wavelength of ..... EI June 89g  
 electromechanically scanned trough array  
     E Mar 3 54g  
 how to simulate antennas in systems with  
     ED May 10 176g  
 long distance transmission with EE Apr 218g  
     EE May 279g  
 rigid rectangular tables ..... EI June 81d  
 ultrasonic attenuation in ..... AS Feb 187g  
 useful formulas for ..... EI June 87t  
 versatile nomogram for, speeds S-Band  
 design ..... ED Nov 22 128g

**Wire**  
 improved, for precision wound resistors  
     E May 12 94g  
 technical specifications & applications  
     EI June 61d



---

## PERIODICALS INDEXED

A	Audio	IRE	Proceedings of I. R. E.
AES	Journal of Audio Engineering Society	MP	Journal of S. M. P. T. E.
AS	Journal of Acoustical Society	NC	Noise Control
CQ	CQ	PE	Popular Electronics
E	Electronics	PF	PF Reporter
ED	Electronic Design	PGA	Trans. Prof. Group — Audio
EE	Electronic Engineering	QST	QST
EI	Electronic Industries	RCA	RCA Review
EL	Electronics Illustrated	RE	Radio-Electronics
EW	Electronics World	SP	Semiconductor Products
FN	Hi-Fi News	TC	Electronic Technician
HF	High Fidelity	TR	Tape Recording
HR	HiFi/Stereo Review	WW	Wireless World

# **RADIO MAGAZINES, INC.**

**Book Division**

**P. O. Box 629**

**Mineola, New York**

---

## **IN CASE YOU HAVEN'T HEARD . . .**

Now you can save by ordering the book you need  
. . . through our **BOOK DIVISION**

---

For any hard-cover book in print, whether text, technical, reference or non-fiction . . . send only 90% of the regular list price, with full title and publisher. We ship promptly by mail with no postage or handling charge.

**ORDER NOW!!!** Get the book you need and **SAVE!**

---

# **RADIO MAGAZINES, INC.**

**Book Division**

**P. O. Box 629**

**Mineola, New York**

**LECTRODEX**

**P. O. Box 629  
Milneola, N. Y.**

**FIRST CLASS MAIL**